CITY OF EAST LIVERPOOL Columbiana County, Ohio 43920

East Liverpool Residential Demolition 01-2023
Bid Documents
For
733 Minerva Street
810 McKinnon Avenue
633 Avondale Street

March 2023

LEGAL NOTICE

Sealed bids will be received at the Office of the Mayor, City Hall Building, 126 West Sixth Street, East Liverpool, Ohio 43920 until 11:45 AM, Eastern Standard Time, Wednesday, April 5, 2023 for demolition of certain residential properties, Project Residential Demolition 01-2023, and then immediately thereafter opened and read aloud.

Complete specifications are on file and available at: eastliverpool.com/city-department/mayors-office

For purposes of notifying bidders of Addendums, upon downloading the documents, the Bidder is required to contact the East Liverpool Planning Department at 330-385-5394 or email <u>Planningdirector@eastliverpool.com</u> to share email address, phone number, business mailing address and contact person for the bidders list.

Sealed bid envelopes shall be marked: "East Liverpool Residential Demolition 01-2023". Be sure to include your name and address of bidder also on the outside of the envelope.

Each Bidder must submit evidence of experiences on projects of similar size and complexity. The Owner intends and requires that this project be completed no later than 60 days from the "Notice to Proceed"

Owner reserves the right to waive any informalities or to reject any or all bids.

By order of: Gregory T. Bricker, Mayor City of East Liverpool

TABLE OF CONTENTS

TABLE OF CONTENTS					
ITEM	PAGE				
~ -					
Cover Page	1				
Legal Notice	2				
Table of Contents	3 (6)				
Bid Sheet	4				
FORMS TO BE NOTARIZED AND OR SUBMITTED	D WITH YOUR BID:				
Division of Homeland Security	5,6				
Ohio PERS Acknowledgement	7				
Safety Acknowledgement	8				
Non-collusion Affidavit	9				
Bidder's Certificate of Unresolved Finding for Recovery	10				
Campaign Contribution Limitations Certification	11				
Non-Delinquent Tax Affidavit	12				
Insert your Insurance Certificate	13				
Insert your Workers Compensation Certificate	14				
Do not complete the following pages at this time, these	will be completed if you are the avecageful hidden				
Do not complete the following pages at this time, these Contract Agreement	15,16,17				
Notice of Award	18				
Evidence of Authority to Sign Corporate Instrument	19				
Affidavit of Contractor	20,21				
Notice to Proceed	22				
Completion Affidavit	23				
Certificate of Owners Legal Council	24				
Certificate of Owner's Financial Officer					
Certificate of Owner's Financial Officer	25				
Property Description and Specifications	9				
733 Minerva Street					
 General Demolition Specifications 	2 Pages				
Exhibit "A: 01-2023" Asbestos Survey	24 Pages				
 Court Order/Access Agreement 	1 page				
810 McKinnon Avenue					
 General Demolition Specifications 	2 Pages				
• Exhibit "B: 01-2023" Asbestos Survey	24 Pages				
Court Order/Access Agreement	1 page				
633 Avondale Street	- L-10-				
General Demolition Specifications	2 Pages				
• Exhibit "C: 01-2023" Asbestos Survey	27 Pages				
Court Order/Access Agreement	_				
- Sourt Orden/Necess Agreement	1 page				

Bid Sheet <u>DEMOLITION PROJECT 01-2023</u>

Enter your Bid Amount Below, this bid is to demolish the following properties in total:

- 733 Minerva Street
- 810 McKinnon Avenue
- 633 Avondale Street

Total Amount Bid:			
	(Numerica	l Format)	
Total Amount Bid:			
	(Written F	'ormat)	
proposed demolitions and	pool: The undersigned, I the conditions of this proto complete the entire pro	A OF BID AND WARRANTY having full knowledge of the sites and specific poposal, hereby agrees to furnish all services, la oject, according to the proposal, specifications	abor, materials,
I further understand this B	id will be awarded based	d upon the bid amount provided herein.	
Date			
Signature		Printed Name	=
Title of Officer Signing		Name of Company	
Federal Tax ID Number:			<u>=</u> 3

Please enter your estimated start date:

FORMS TO BE NOTARIZED AND/OR SUBMITTED WITH YOUR BID

Pages 5 through 14

Ohio Department of Public Safety - Division of Homeland Security GOVERNMENT BUSINESS AND FUNDING CONTRACTS

In accordance with section 2909.33 of the Ohio Revised Code

<u>DECLARATION REGUARDING MATERIAL ASSISTANCE/NONASSISTANCE TO A TERORIST ORGANIZATION:</u>

This form serves as a declaration of the provisions of material assistance to a terrorist organization or organization that supports terrorism as identified by the U.S. Department of State Terrorist Exclusion List (see the Ohio Homeland Security Division website for a reference copy of the Terrorist Exclusion List.)

Any answer of "yes" to any question, or the failure to answer "no" to any question on this declaration shall serve as a disclosure that material assistance to an organization identified on the U.S. Department of State Terrorist Exclusion List has been provided. Failure to disclose the provision of material assistance to such an organization or knowingly making false statements regarding material assistance to such an organization is a felony of the fifth degree.

For the purpose of this declaration, "material support or resources" means currency, payment instruments, other financial securities, funds, transfer of funds, and financial services that are in excess of one hundred dollars, as well as communications, lodging, training, safe houses, false documentation or identification, communications equipment, facilities, weapons, lethal substances, explosives, personnel transportation, and other physical assets, except medicine or religious materials.

Middle Initial

First Name

City	State	Zip	County				
Home Phone		Work Phone	Work Phone				
COMPLET	E THIS SECTION ONLY IF	YOU ARE A CO	MPANY, BUSINESS OR	ORGANIZATION			
Business/Organization Name			*				
Business Address							
City	State	Zip	County				
Phone Number		Fax Number					
Yes No	of an organization on the U y position of prominence you						
an organization on Yes No	the U.S. Department of Stat	e Terrorist Exclu	usion List?	to support			
3. Have you know Terrorist Exclusion List Yes No		er things of value	for an organization on the	e U.S. Department of State			
		_					

Last Name

Home Address

4. Have you solicited any individual for membership in an organization on the U.S. Department of State Terrorist Exclusion List? YesNo
5. Have you committed an act that you know, or reasonably should have known, affords "material support or resources" to an organization on the U.S. Department of State Terrorist Exclusion List? YesNo
6. Have you hired or compensated a person you knew to be a member of an organization on the U.S. Department of State Terrorist Exclusion List, or a person you knew to be engaged in planning, assisting, or carrying out an act of terrorism? YesNo
In the event of a denial of a government contract or government funding due to a positive indication that material assistance has been provided to a terrorist organization, or an organization that supports terrorism as identified by the U.S Department of State Terrorist Exclusion List, a review of the denial may be requested. The request must be sent to the Ohio Department of Public Safety's Division of Homeland Security. The request forms and instructions for filing can be found on the Ohio Homeland Security Division website.
CERTIFICATION
I hereby certify that the answers I have made to all of the questions on this declaration are true to the best of my knowledge. I understand that if this declaration is not completed in its entirety, it will not be processed, and I will be automatically disqualified. I understand that I am responsible for the correctness of this declaration. I understand that failure to disclose the provision of material assistance to an organization identified on the U.S. Department of State Terrorist Exclusion List, or knowingly making false statements regarding material assistance to such an organization is a felony of the fifth degree. I understand that any answer of "yes" to any question, or failure to answer "no" to any question on this declaration shall serve as a disclosure that material assistance to an organization identified on the U.S. Department of State Terrorist Exclusion List has been provided by myself or my organization. If I am signing this on behalf of a company, business or organization, I hereby acknowledge that I have the authority to make this certification on behalf of the company, business or organization referenced on page one of this declaration.
Signature Date

OHIO Public Employees Retirement System (OPERS) Acknowledgement

ORC Sections 145.037 and 145.038

TO ALL PERSONS COMPLETING THIS FORM:

PLEASE BE ADVISED THAT YOU ARE CLASSIFIED BY THE CITY OF EAST LIVERPOOL, OHIO, AS AN "INDEPENDENT CONTRACTOR" AND <u>NOT</u> AS A "PUBLIC EMPLOYEE". NO CONTRIBUTIONS WILL BE MADE TO THE OHIO PUBLIC EMPLOYEE'S RETIREMENT SYSTEM FOR YOUR SERVICES HEREIN.

(This OPERS Acknowledgement Form shall be completed and incorporated into all personal services Contracts with the City of East Liverpool, Ohio. A copy of this Form, once completed, <u>must</u> be submitted to the city Auditor's Office.)

INSTRUCTIONS:

- 1. All Business Entities employing Five (5) or more employees <u>must</u> complete the Section below <u>only</u> and <u>ignore the attached "OPERS Independent Contractor/Worker Acknowledgement" Form.</u> "Business Entity" means any entity that is a corporation, association, firm, limited liability company, partnership, sole proprietorship, or other entity engaged in business.
- 2. All other individuals, and business entities employing **less than five (5) employees**, must have all employees, who are providing services to Columbiana County pursuant to this Bid Contract, <u>must</u> complete the attached "OPERS Independent Contractor/Worker Acknowledgement" Form (make additional copies as needed), and <u>ignore the Section below</u>.

This Section ONLY to be completed by business entities employing <u>Five (5) or More</u> employees:

I,(printed	name), hereby acknowledge and agree that all individuals
employed by	(print name of business entity) who are providing services
to the City of East Liverpool, Ohio, pursuant to t	his Bid Contract are not public employees of the Ohio Public
Employees Retirement System (OPERS).	
DATE:	
	SIGNATURE
	TITLE:

Safety Acknowledgement

CONTRACTOR is required to comply with Chapter 4123:1-3 of the Ohio Administrative Code entitled "Specific Safety Requirements of the Industrial Commission of Ohio relating to Construction" effective November 1, 1979, and with the "Federal Occupational Safety and Health Act of 1970 and Code of Federal Regulations, Title 29, Chapter XVII, Part 1926".

I understand the above referenced requirements and agree to abide by them during this work. I acknowledge that abiding by these rules and policies is a condition of the Contract and that the City of East Liverpool representatives can halt work on this project and/or remove us from the site for infractions of it.

I further understand the complex issues involved in coordinating work on a multi-employee site and agree that all safety issues will be closely supervised. I will also be responsible for all areas under my, or my subcontractors, control.

Addresses: 733 Minerva Street 810 McKinnon Avenue and 623 Avandale Street

East Liverpool Residential Demolition 01-2023

Addresses. 755 Nimel va Street, 610 Niekimon Avenue and 655 Avondale Street.
Company:
Representative:
In consideration of the award of this Contract, the above statement shall be incorporated into said Contract as a covenant of the undersigned.
By:(Signature)
(Title)
State of::
Sworn to before me and subscribed in my presence this day of, 2023.
(Seal) Notary Public

Project:

Non-Collusion Affidavit

State of:, County of::
I,, as, (Name) (Title)
Being duly sworn, do depose and say:
That (Name of Company, Corporation, Partnership, etc)
In accordance with Title 23, United States Code, Section 112 and Ohio Revised Code, Chapter 1331 et. seq: an Sections 2921.11 and 2921.13, under penalty of perjury and under other such penalties as the law provides, that the Bidder's agents, or employees have not entered either directly or indirectly into any agreement, participated in any collusion, or otherwise taken any action in restraint of free competitive bidding in connection with this proposal.
By: (Signature)
(Title)
Sworn to before me and subscribed in my presence this day of, 2023.
(Seal) Notary Public

To report bid rigging activities call: 1-800-424-9071

U.S. Department of Transportation (DOT) operates the above toll free "hotline" Monday through Friday, 8:00 a.m. to 5:00 p.m. eastern time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the "hotline" to report such activities.

"Hotline" provided is part of the DOT's continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under direction of the DOT Inspector General. All information will be treated confidentially, and caller anonymity will be respected.

Bidder's Certification of **Unresolved Finding for Recovery**

In accordance with ORC 9.24 the City must verify that the successful bidder has not been issued an "Unresolved Finding for Recovery" by the State of Ohio Auditor's Office. CITY will verify this information through a certified search of the State of Ohio Auditor's "Finding for Recovery" database.

In accordance with ORC 9.24, the low bidder is hereby notified that an "Unresolved Findings for Recovery" shall make your bid null and void.

The undersigned on behalf of(Bidder's Name)
(Bidder 8 Name)
hereby certifies that the Bidder is (check whichever of the following applies):
Not charged with an "Unresolved Finding for Recovery".
Charged with an "Unresolved Finding for Recovery".
In consideration of the award of this proposal, Bidder understands and agrees that the above statement shall be incorporated into said contract as a covenant of the undersigned. Bidder further agrees that the Auditor of Sta Certified Search result shall also be incorporated into this contract.
(Signature)
(Print)
(Title)
State of:, County of::
Sworn to before me and subscribed in my presence this day of, 2023.
(Seal) Notary Public

State

Campaign Contributions Limitations Certification ORC 3517.13 (I)(3) & (J)(3)

I, the undersigned, on behalf of the Bidder identified below, hereby certify that, within the previous twenty-four months no person identified below, as an individual and while in a position described below, has made one or more contributions totaling in excess of one thousand dollars (\$1,000.00) or by a combination of givers totaling more than two thousand dollars (\$2,000.00) to the holder of the public office having ultimate responsibility for the award of the subject contract or to the public officer's campaign committee.

Said persons are:

- a) The individual owner, if the Bidder is a sole proprietorship; or
- b) Each partner or owner, if the Bidder is a partnership; or
- c) Each shareholder, if the Bidder is an unincorporated business or an association, including without limitation a professional association, estate or trust; or
- d) Each owner of more than 20% of a Bidder that is a corporation or business trust; and
- e) Each spouse of any person identified in (a) through (d) above; and
- f) Each child seven years of age to seventeen years of age of any person identified in (a) through (d), above; and

g) Any combination of said persons in case of the two thousand dollars (\$2,000.00) limitation.

Signed this	day of	, 2023.	
Bidder Name:			
Printed Name	•		
Signed Name:	:		
Title:			
State of:	, County of:	:	
Sworn to befo	re me and subscribed in my presence this	day of	, 2023.
(Seal)	Notary Public		

Non-Delinquent Tax Affidavit ORC 5719.042

East Liverpool, Ohio 43920 The undersigned, on behalf of _______, being duly sworn and having been awarded a contract by the City of East Liverpool for the: East Liverpool Residential Demolition 01-2023 Project, hereby states that at the time our bid was submitted we were: (Check whichever statement applies) Not charged with any delinquent personal property taxes on the general tax list of personal property in Columbiana County. Charged with delinquent personal property taxes on the general tax list of personal property in Columbiana County. The amount of such due and unpaid delinquent taxes along with any unpaid penalties and interest is \$______, (If this statement is checked a copy of this document will be sent to the Columbiana County Treasurer within 30 days of the date of its submission.) In consideration of the award of the above contract, the above statement shall be incorporated in said contract as a covenant of the undersigned. Signature Print State of: ______, County of: _____: Sworn to before me and subscribed in my presence this day of 2023. (Seal) Notary Public

City of East Liverpool

126 West Sixth Street

Insurance Certificate

(The Bidder being awarded the Contract shall attach their Insurance Certificate to this page)

Workers Compensation Certificate

(The Bidder being awarded the Contract shall attach their Workers Compensation Certificate to this page)

DO NOT COMPLETE THE FOLLOWING PAGES AT THIS TIME, THESE WILL BE COMPLETED IF YOU ARE THE SUCCESSFUL BIDDER

Pages 15 through 25

Contract for the Demolition of Residential Buildings

This Agreement is made and entered into this	day of	, 2023 by and between the
CITY OF EAST LIVERPOOL, OHIO ("CITY") :	and	
₩ 2	Ω.	("CONTRACTOR").
WHEREAS, the CITY desires to arrange for the dresidential dwellings; and	emolition of certa	in dilapidated, demolition ordered
WHEREAS, the CITY desires to retain the service expertise, and personnel to undertake the demoliti		contractor with the necessary equipment,
WHEREAS, CONTRACTOR represents that it has and guarantees that CONTRACTOR is properly li	s the requisite exp censed and insure	pertise and ability to complete this project d with the CITY, and
WHEREAS, the Bid documents, General Demolit part of this Contract.	ion Specifications	and requirements there of are to be made
NOW, THEREFORE, in consideration of the forg and other good and valuable consideration, the rec parties do hereby agree as follows:	oing and of mutua eipt and sufficien	al covenants and promises herein contained, cy of which is hereby acknowledged, the
SECTION 1. Scope of Services		
CONTRACTOR agrees to furnish the following so 733 Minerva Street 810 McKinnon Avenue 633 Avondale Street	ervices for the den	nolition and clean up of:
SECTION 2. Payment.		
In consideration for the services under this contract	t, the CITY agree	s to pay the CONTRACTOR the sum of
\$ Dollars and 0 C	ents (\$) upon inspection and approval by
the CITY. No payment shall be made until the wo		
SECTION 3. Penalty.		
If the CONTRACTOR fails to complete the work reserves the right to cancel the contract without may or may fine the CONTRACTOR \$500 per property	aking substitutions	s or payments for prior work rendered and
Additionally, in the event this Agreement is breach	ned by the CONTI	RACTOR, CONTRACTOR shall be liable

15

for any additional charges and expenses incurred by the CITY in completion of the demolition work attributable

to the breach.

SECTION 4. Indemnification.

CONTRACTOR shall indemnify and save CITY, or CITY's agent(s), harmless from all claims growing out of the lawful demands of any Subcontractor's laborers, workmen, mechanics, materialmen and furnishers of machinery and parts thereof, equipment, tools and all supplies, incurred in the furtherance of the performance of the work. CONTRACTOR shall, at the Owner's request, furnish satisfactory evidence that all obligations of the nature designated above have been paid, discharged or waived. If CONTRACTOR fails to do so, CITY may, after having notified CONTRACTOR, either pay unpaid bills or withhold from CONTRACTOR'S unpaid compensation, a sum of money deemed reasonably sufficient to pay any and all such lawful claims until satisfactory evidence is furnished that all liabilities have been fully discharged whereupon payment to the CONTRACTOR shall be resumed in accordance with the terms of the Contract Documents, but in no event shall the provisions of this be construed to impose any obligations upon CITY to either CONTRACTOR, Contractor's Surety, or any third party. In paying any unpaid bills of CONTRACTOR, any payment so made by CITY shall be considered as payment made under Contract Documents by CITY to CONTRACTOR and CITY shall not be liable to CONTRACTOR for any such payments in good faith.

SECTION 5. Compliance with Federal, State and Local Law.

CONTRACTOR agrees to comply with all federal, state and local laws, rules, regulations, or ordinances, that are applicable at the time of CONTRACTOR's services pursuant to this Agreement are rendered, and all provisions required thereby to be included herein are hereby incorporated by reference.

SECTION 6. Entire Agreement.

This Agreement along with the Bid Documents, General Demolition Specifications and requirements there of constitutes the entire Agreement of the parties, and, unless specified otherwise herein, no representations, inducement, promises, or prior agreements, oral or written between the parties, or made by any agent on behalf of the parties or otherwise, shall be of any force and effect.

SECTION 7. Authority

The persons signing this Agreement warrant that they have the authority to sign as, or on behalf of, the party for whom they are signing.

SECTION 8. Severability.

If any portion of this Agreement is found to be invalid, it shall be deemed severed and the remainder of this Agreement shall remain in full force and effect as if the severed portion did not exist. After **Ten (10) Days** from delivery of a written notice to CONTRACTOR, CITY, without cause and without prejudice to any other right or remedy, may elect to *terminate* the Agreement. In such case, CONTRACTOR shall be paid for all work executed and any expense sustained, plus reasonable profit, unless such termination was due to the act or conduct of CONTRACTOR.

SECTION 9. Dispute resolution and Administrative Claims Process.

Dispute Resolutions and administrative claims are to follow the City Policy as detailed in City Ordinance No. 57, 2021. A copy of Ordinance 57, 2021, will be made available upon request.

IN WITNESS WHEREOF, the parties have duly executed this Agreement pursuant to all requisite authorization as of the date first set forth above.

CONTRACTOR:	
W V	ž e
Signature	Printed Name
Title of Officer Signing	Name of Company
Date:	
22	
CITY:	
Signature	Gregory T. Bricker Printed Name
Mayor Title of Officer Signing	City of East Liverpool Name of Company
Date:	

Notice of Award

TO CONTRACTOR:										
PROJECT DESCRIPTION:	East Liver	pool Re	esident	ial Der	nolition		and 63:	3 Avor	ndale Stree	et.
CITY has considered the Bid 5, 2023, for the above-described Bidders.	Proposal s ped Demoli	ubmitte ition Pro	d by yo	ou, as n respo	propose onse to	d CONTRACT Advertisement	ΓOR, or for Bic	n the B ls and	id Date, A	April as to
You are hereby notified						ACCEPTED(\$			amount	of
You are required to execute a										
as abandoned and as forfeitur Ohio Revised Code. The Own This Notice of Award is here	ner will be	entitled	to such	other	rights a	s may be grant	ed by la	Section aw. , 2023	: 153.54 of	° the
BY:										
Greg B	ricker, May	or								
ACCEPTANCE OF NOTICE OF AWARD										
Receipt of this Notice of Awa	rd is hereby	acknov	wledge	d on th	nis	day of		, 2	023.	
BY:										
BIDDER (COMPANY NAM	Ε)		RE	PRES	ENTAT	IVE SIGNATI	JRE			
YOU ARE HEREBY NOT OF THIS ACCEPTANCE	IFIED TH	IAT YO	AWAF	E REC	OUIRE THE C	D TO RETUR DWNER WIT	EN THI H TEN	E SIGN (10) (NED COP	Y AR
			<u>D</u>	X I D						

Evidence of Contract Signature Authority

The Contractor shall indicate which of the following is the source of the signatory's authority to sign the Contract on behalf of the Contractor. The Contractor shall follow the instructions noted.
The party contracting is a sole partnership. Below the signature affixed on the Contract sheet, a sole partnership's owner shall write "sole owner" or "doing business as (name of Bidder)".
The party contracting is a partnership, and the party signing is one of the partners. Below the signature affixed on the Contract sheet, a signatory for a partnership shall write "member of the firm".
The party contracting is a corporation. The party signing is authorized to sign on behalf of the corporation. A copy of the resolution of the corporation's board of directors which delegates signatory authority to the individual signing is to be attached to this Contract form. The resolution can be a general delegation of authority for signing Contracts, or it can be a specific authorization for this project. The Secretary of the corporation shall authenticate the resolution as currently being in full force and effect.
Signatory authority for the party contracting is evidenced by other means noted below.

Affidavit of Contractor

State of Ohio)
) SS:
County of Columbia	ana)

The undersigned being first duly sworn, under oath, deposes and says that pursuant to the Ohio Revised Code and the Ordinances of the City of East Liverpool, Ohio that he/she/it (circle one) has not failed to do any of the following:

- To perform an obligation under past Contracts with the City; or
- To perform any obligation on past Contracts with the City in a satisfactory manner; or
- To provide the City with the satisfactory goods or services in the past; or
- To provide the City with competent laborers thereby causing claims against the City when such person was unable or unwilling for any reason to correct; or
- To pay any type of City income tax or make any type of City income or other tax deposits; or
- To pay for City utility service; or
- To provide the City with truthful statements concerning the quality of goods or services provided; or
- To act in a good faith manner by way of attempting to influence any City Official by offering a gift, gratuity, bonus favor or other consideration in exchange for preferential treatment or the expectation of preferential treatment; or
- To act in a good faith manner by way of collusion with another bidder in an attempt to regulate the price, quality or availability of goods or services to the detriment of the City; or
- To act in a credit-worthy manner in the past by way of refusing to satisfy judgment, judgment liens, mechanics liens, debts, or the like.
- Further pursuant to the Ohio Revised Code Section 5719.042, that at the time the bid was submitted, I, or my corporation, company, partnership, or business entity was not charged with any delinquent personal property taxed on the general tax list of personal property of Columbiana County, Ohio, or in the event there has been a charge of delinquency with respect to personal property taxed, I have attached hereto, as if fully incorporated herein, a statement setting forth the amount of such due and unpaid taxes and any penalties and interest thereon.

I understand, pursuant to Ohio Revised Code section 5719.042, that if I have been charged with any such taxes, a copy of this statement, and all incorporated documents, shall be transmitted by the City Auditor to the County Treasurer within (30) days of the date it is received by the City of East Liverpool, Ohio.

I understand that this statement shall be incorporated into any Contract I enter into with the City of East Liverpool, Ohio, and no payment shall be made with respect to any Contract to which this section applies unless such statement has been so incorporated as part hereof.

deemed not qualified for any of the reasons herein through it officers, agent, employees, and represent Contracted for.	before mentioned, the	ne City of East L	iverpool, Ohio, by and
# ½	3		£0
	(Nar	ne of Contractor)	
·	(Signature of Author	rized Contract Si	gnatory)
Sworn to before me and subscribed in presence this	day of		_2023.
	(NO	ΓARY PUBLIC)	
My commission expires on	, 20	(SEAL)	

The undersigned further states that he/she/it (circle one) is aware and understands that should the Contractor be

Notice to Proceed

TO CONTRACTOR:			
PROJECT DESCRIPTION:	East Liverpool Residentia	15	and 633 Avondale
		accordance with the signed Co	
You are to COMPLETE W calendar days thereafter, here	ORK withininafter referred to as "Comp	letion Date".	() consecutive
This Notice to Proceed is here	eby dated this da	y of	_, 2023
BY:Greg B	Bricker, Mayor		
*	A CCUPT A NCT OF NO		1
	ACCEPTANCE OF NO	TICE TO PROCEED	
Receipt of this Notice to Proc	eed is hereby acknowledged	on this day of	, 2023.
BIDDER (COMPANY NAM	BY: _	REPRESENTATIVE SIGNA	ATURE
		REQUIRED TO RETURN TO CEED TO THE OWNER VERY BELOW TO THE OWNER VERY BOOK TO THE OWNER VERY	

Completion Affidavit

State of Ohio)		
) SS: County of Columbiana)		
County of Columbiana)		
being fi	rst duly sworn, depo	oses and says
(Name of Authorized Contract Signatory)	J 1	- 3
that being	of	
that being (sole owner, partner, president, secretary, etc.	(Name of C	ontractor)
being the Party that entered into a Contract with the C	City of East Liverpoo	ol, Ohio on the
day of, 2023 for the project kn and that all claims and obligations for services, labe personal property and/or bodily injury arising in comand the rate of wages paid have been in compliance w	or, materials, tools, nection with this C	equipment, facilities, and damages to ontract have been satisfactorily settled,
	Signature of Author	ized Contract Signatory)
Sworn to before me and subscribed in presence this _	day of	2023.
======================================	(NOT	ARY PUBLIC)
My commission expires on	, 20	(SEAL)

Certificate of Owners Legal Council

- I, Charles Payne, Law Director and the duly authorized and acting Legal Representative of the Owner, City of East Liverpool, Ohio, do hereby certify as follows:
- 1. I have examined the attached Contract Documents and the manner of execution thereof.
- 2. I am of the opinion that each of the aforesaid Contract Documents has been duly executed by the proper parties thereto, acting through their duly authorized representative(s).
- 3. That said representative(s) have full power and authority to execute said Contract Documents on behalf of the respective parties named therein.
- 4. That the foregoing Contract Documents constitute valid and legally binding obligations upon the parties executing the same in accordance with terms, conditions and provisions thereof.

DATED:	
	Charles L. Payne, Law Director

Certificate of Owners Financial Officer

ATTEST:

I, Marilyn Bosco, Auditor for the City of East Liverpool, Ohio, and the duly authorized and acting Financial Officer of the Owner, do hereby certify that the money to meet this Contract has been lawfully appropriated for the purpose of the Contract and is in the Treasury of the City of East Liverpool, or is in the process of collection to the credit of the appropriate fund, free from prior encumbrance.

DATED:	
-	Marilyn Bosco, Auditor of City of East Liverpool

SEAL:

PROPERTY DESCRIPTIONS AND SPECIFICATIONS

733 Minerva Street 810 McKinnon Avenue 633 Avondale Street

GENERAL DEMOLITION SPECIFICATIONS

PPN: 37-09538.000

733 Minerva Street East Liverpool, Ohio 43920

Property Type: Residential, Single Dwelling

Lot Dimensions: 30' x 100'

Building Size: 1381 sq. ft.

*See Exhibit "A: 01-2023" for completed Asbestos

Survey.

Please notify the City of East Liverpool if any unique site conditions require immediate discussion.



- 1. Demolish structure(s) and all ancillary improvements on property, such as garages and sheds, and all paved surfaces, including driveways, service walks and patios, unless otherwise noted. Haul debris to an appropriate landfill. All structural elements, including basement walls and floor, are to be removed unless otherwise noted.
- 2. Foundation: Remove all unless portions of the foundation are needed to support neighbor's driveway, sidewalk, or adjacent structure. If portions of the foundation are left to support an adjacent structure, the foundation should be removed to at least eighteen (18) inches below finished grade.
- 3. Existing Pavement Conditions: Remove all driveways, walkways and any other preexisting pavement. Retain all retaining walls, curbs, and city sidewalk in their current condition. Damage to retaining walls, public sidewalks, curbs, and streets must be corrected or repaired pursuant to the City's regulations.
- 4. Remove foundation plantings and front yard hedges unless otherwise noted. Preserve all mature trees.
- 5. After the removal of the building materials and structural elements, apply lawn seed at seed rate according to manufacturer's directions over seed bare patches in existing lawn. Rake or roll seeded areas to provide good seed-soil contact. Cover seeded area with weed-free straw blanket or 1/2" compost (NOT mulch) per manufacturer's directions.
- 6. Provide a finished site that is level and free of construction debris, brush, and trash, including along lot lines and in tree line. The Contractor is responsible for completing all site finish specifications listed in the bid documents and for ensuring that grass is growing on site and that the site can be safely mowed. A thorough watering is also highly recommended.
- 7. Additional Notes:
- 8. Asbestos Survey Findings: Attached.
- 9. Notify City of East Liverpool Planning Department 330-385-5394 at least 24 hours prior to commencing work.
- 10. Contractor shall have competent Superintendent on the site at all times when work is taking place.
- 11. Contractor shall secure all necessary permits. If necessary, all applicable sidewalk repair permits shall be secured.
- 12. Contractor shall have all utilities shut off for project location and shall ensure that there is no loss of utilities to any other property.

Initia	le•	

Parcel Number: 37-09538.000, 733 Minerva Street

- 13. Contractor shall begin and complete work contract work within the contract dates. City of East Liverpool reserves the right to cancel the contract if not complete within the time limitation stipulated in the contract without making substitutions or payments for prior work rendered and/or may fine the Contractor \$500 per property per day until work is completed.
- 14. Contractor shall notify Ohio Utility Protection Service (OUPS) as required by law.
- 15. Contractor shall walk through the interior of the structure prior to demolition, to verify it is unoccupied.
- 16. Contractor shall visually verify that asbestos abatement has been completed if required. If RACM or transite is still present, notify City of East Liverpool at once so that abatement can be arranged and completed prior to demolition.
- 17. Contractor shall take all necessary precautions, including, but not limited to warning signs, barricades, and fall protection, to protect workers and the public, and shall eliminate unnecessary hazards before leaving the jobsite at the end of each day. Hazards such as missing sidewalks and demolition debris must be marked with yellow caution tape.
- 18. Contractor shall reinstall fall protection and safety precautions at the end of each workday.
- 19. In the event of damage to an adjacent property, Contractor shall speak with the property owner and notify City of East Liverpool immediately. Contractor is liable for damage to neighboring property.
- 20. Contractor shall provide to City of East Liverpool prior to, and as an additional component of, payment for work performed, all pertinent verified original receipts form an approved land fill or dump site, evidencing that all waste material from the job site contracted herein was disposed of in a proper manner. Receipts shall bear the date, job address, location of land fill or dump site, cubic yardage dumped, and bear the signature of the Contractor's driver and receiving facility representative. The Contractor must also provide before, during, and after photos of the demolition for each property. In the event any such information is not provided, City of East Liverpool shall withhold payment until received and approved.
- 21. Contractor shall minimize dust and inconvenience to neighbors. Contractor shall provide labor and use hoses of sufficient length to prevent discharge of visible emissions to the outside air throughout demolition.
- 22. All lot and structure information provided herein is obtained from the Columbiana County Auditor's Office and must be field verified by the Contractor.

By signing this document, the Contractor understands and agrees to complete all of the Work as outlined pursuant to the Contract. The undersigned has also read and fully understands the bid documents which have been provided separately.

entractor Signature:
nted Name:
le:
ntractor Company:
te:

Return this with your Bid

Initials:

Demolition Project: 01-2023

Asbestos Survey of 733 Minerva St. East Liverpool, Ohio



Prepared by:

J.S. Asbestos Inspections LLC 1317 Keefer Rd. Girard, Ohio 44420

For:

City of East Liverpool
Attn: William L. Cowan
126 West Sixth Street
East Liverpool, Ohio 43920

EXHIBIT "A: 01-2023"

Summary/Site Description

On February 11, 2023 a survey of 733 Minerva St., East Liverpool, OH was performed by J.S. Asbestos Inspections, LLC. The purpose of the asbestos survey was to identify asbestos-containing materials (ACMs) located at the above address prior to demolition activities being performed.

The asbestos survey was conducted in accordance with the Environmental Protection Agency (EPA) National Emissions Standard for Hazardous Air Pollutants (NESHAP). NESHAP regulations require no specific survey protocol be followed; however AHERA protocol is recommended. Therefore, the asbestos survey at the above address was conducted in accordance with AHERA protocol.

AHERA classifies friable building materials into the following three (3) categories: Surface material, thermal system insulation (TSI) and miscellaneous materials. The bulk sampling protocol is based on the AHERA category assigned to a specific homogeneous area and the quantity of the homogeneous are identified. For surfacing materials if the size of the homogeneous sampling area is less than 1,000 square feet then a minimum of three (3) samples are collected. If the size of the homogeneous sampling area is between 1,000 and 5,000 square feet then a minimum of five (5) samples are collected. If the size of the homogeneous sampling is >5,000 square feet then a minimum of seven (7) samples are collected. For TSI, at least three (3) samples are collected from each homogeneous area. Miscellaneous and nonfriable materials are sampled in a manner sufficient as determined by the inspector.

In determining condition of a material the following guidelines were used.

General D	amage Criteria
Good	No Damage
Fair	Up to 10% overall damage, up to 25% localized
Poor	Over 10% overall damage, over 25% localized

The bulk samples collected were submitted to SanAir Technologies Laboratory, Inc., 1551 Oakbridge Drive, Suite B, Powhatan, VA 23139 or 11709 Chesterdale Rd, Cincinnati, OH 45246 for analysis of asbestos content by polarized light microscopy (PLM) using Environmental Protection Agency (EPA) Method 600/R-93/116. Bulk samples identified by PLM as containing more than a trace but less than 3% of asbestos were then analyzed by 400 point count methodology.

ASBESTOS SAMPLE METHODOLOGY

Regulated Asbestos-Containing Materials (RACMs)

Regulated asbestos-containing materials (RACMs) are friable materials with asbestos concentration in excess of the EPA regulatory threshold of 1%. RACMs must be removed from the building prior to demolition by a licensed Asbestos Contractor in accordance with the Asbestos NESHAPS, 40 CFR part 61, and the work practices prohibitions in the OSHA Asbestos in Construction, 29 CFR 1926.1101. The quantities of ACMs and assumed ACMs as presented on the Asbestos Bulk Sampling Information form are approximate and represent the majority of accessible building materials that could be quantified during the survey. In addition, demolition of any of the building's ceiling and/or walls may reveal additional building materials suspected of containing asbestos.

Category I and II Non-Friable Asbestos-Containing Materials

The following Category I and II non-friable asbestos-containing materials may be identified in the building during the survey and will be noted on the Asbestos Bulk Sampling Information form. Bulk sampling locations and homogeneous area locations along with the analytical report for the bulk samples collected will also be included. Category I and II non-friable asbestos-containing materials may remain in place during the demolition and be disposed of as demolition debris, provided that the demolition occurs via conventional means (i.e., the structure is not demolished by burning) and the following conditions are met:

It is Category I non-friable ACM that is not in poor condition and is not friable at the time of demolition;

It is Category II non-friable ACM, and the probability is low that the material will become crumbled, pulverized, or reduced to powder during demolition;

The materials are kept adequately wet at all times during demolition and debris handling;

The materials remain intact during the demolition process and are not subject to sanding, grinding or abrading that may cause them to become friable; and, any concrete or metal to which these materials are applied will be disposed of as Construction and demolition debris at a landfill licensed to accept Category I and II non-friable asbestos waste and will not be recycled.

General Limitations

J.S. Asbestos Inspections LLC cannot guarantee that all asbestos material was located and identified in this survey, due to inaccessibility. Asbestos materials not previously identified or quantified, may be encountered during the demolition.

During demolition additional quantities of asbestos material maybe encountered that were previously inaccessible. If new or additional quantities of suspect materials are encountered, the material is assumed to be asbestos containing, and all activities should cease until the material sampled.

Recommendations

Prior to demolition, contractor(s) working at this structure must be notified of the presence of any building materials identified as containing asbestos or assumed to contain asbestos. Any disturbance of building materials identified as containing less than or equal to 1% asbestos are required to be in compliance with the applicable section of the Occupational Safety and Health Administrations (OSHA's) Asbestos Standard for the Construction Industry. Contractors disturbing any building material identified as containing greater than 1% asbestos or any building material assumed to contain asbestos are required to conduct their activities in accordance with all applicable sections of OSHA's Asbestos Standard as well as applicable EPA NESHAP and Ohio Environmental Protection Agency (OEPA) regulations.

Whenever a structure is part of the same "project" and the total quantity of RACM identified in all structures being demolished equals or exceeds OEPA's regulated quantities of 160 square feet or 260 linear feet, then a licensed asbestos abatement contractor in the State of Ohio needs to be hired to remove the ACMs/assumed ACMs identified on the Asbestos Bulk Sampling Information form as requiring removal prior to any demolition activities. Any material assumed to contain asbestos (ACM) but not designated on the Asbestos Bulk Sampling Information form as requiring removal was considered to be in good to fair condition and can remain within the structure during demolition as long as the ACM does not become friable.

The Ohio Environmental Protection Agency Notification of Demolition and Renovation form must be submitted to OEPA ten (10) days prior to any demolition which will involve the disturbance of 160 square feet or 260 linear feet of RACM (which includes multiple structures of the same "project").

A "Notification of Demolition and Renovation/Abatement" form must be submitted to the Ohio EPA ten (10) days prior to abatement activities being performed which will disturb 50 square feet or 50 linear feet of a friable ACM.

If applicable, as indicated in the OEPA "Notification of Demolition and Renovation" form, Section XVII, ensure that an individual trained in the provisions of NESHAP is on site during the demolition activities. This individual would need to be certified by the Ohio EPA as an Asbestos Hazard Evaluation Specialist and have certification on hand.

John B. Simon, Jr.
Ohio Asbestos Hazard Evaluation Specialist
Certification Number ES35991

Table Ann Haland C Histories Decision
John B hio
Simon Jr

1317 Aveter Rd
Girard OH 44420
Certification Number Expiration Date
\$2.2923

Steven J. Gerberry Ohio Asbestos Hazard Evaluation Specialist Certification Number ES36384



Studelle

APPENDIX A

> Field Report

APPENDIX B


> San Air lab report for bulk samples collected

APPENDIX C


Asbestos Bulk Sampling Summary of Results form

FIELD SURVEY






Dat	
	te: / /23
Sid	ing
	AL = Aluminum
	WD = Wood
$\overline{\lambda}$	VY = Vinyl
	AS = Asphalt
	TR = Transite
	Notice of the second state of the second
Roc	ofing
	MS = Masonary
X	A/S = Asphalt Shingle
	RR = Rollled Roofing
	SL = Slate
15	Good Fair Poor
Cle	an Out
\times	Yes No
Jtili	ties Connected
\geq	Yes No
	Surveyer Cert. Number
\times	John Simon ES35991
	A STATE OF THE PARTY OF THE PAR
	Steven Gerberry ES36384
lote	



JS ASBESTOS SURVERY OF 733 Minerva St. East Liverpool OH 43920 **Second Floor**

JS ASBESTOS SURVERY OF 733 Minerva St. East Liverpool OH 43920

Basement



7	Basement									
2	FLOOR	X	С	СР	RS					
	CEILING	X	Ol	DW	AC					
	WALLS	X	СВ	DW	PN					
	Ceiling Heig	ght	ft.							
Ducts	Wrapped >		Yes	No	4 Sq. Ft.					
Wood	d Windows		Yes	No.	Sq. Ft.					
Insula	tion Walls	7	Yes	No	Type					
Insula	tion Ceiling		Yes	· No	Туре					
F	urnace	X	Yes	No						

Walls are construction stone

Survey Key	
PL = Plaster	
DW = Dry Wall	
PN = Paneling	
AC =Acoustic	
CP = Carpet	
WD = Wood	
RS = Resilient	
CR = Ceramic	THE PROPERTY AND
CN = Concrete	
CB = Concrete Block	PARMALE LEVEL
OJ = Open Wood Joist	

Notes		
	يلازي	
_		
-		
-		
-		
-		

JS ASBESTOS SURVERY OF 733 Minerva St. East Liverpool OH 43920

1			,	/33		St. East I						
3.		///		/	14	PED REGISTE	16	1	FILL NE	//	/	1.
		///				1	35	15	entelogie Elingsi	1	July Sundich	UNG
	/					aters.	/	RISE	10 C	CH 12	In July	,
	15	2/1/2	ING	/	\$ /	SED.	SED	10		ATIO	ATIO	
/	100	ROOM MALLS	CHING	PIOC STORY	MRA	MRS	/	MOO!	EHINS!	1,5	SUL /	NOTES
	1	PL	01						, v	(×	1	
		PL	PL	(CM)	4	-		8	-	-		
	2	0.	Sw	0, ,0	4		0	8	(- V			
		DW	000	W	4			-	-			
	3	WD	DW	W	4	-		8				
			Da		4			0	-	~		
	4	DW	DW	RJ	4			0				
-	!							8	-	-		ووال المناطعات
		PL	PL	wD		_		8	77	_		
2	2	0.1					-	-	_			
		PL	PL	CM	-	-		8	_	1		
h	3	.01.										
	7	DONALDE	PL	CP		~		8	-	-	w-	we is Dw
	4	01 01	21	.0	_	712		n				
		Pr-Dr	7	co		100		8	-	_	100	
	D,			-								
						- 120	7					- 5 Y - 15 F
-												
			- 91		- 4							
+										10		
	11.10				110							
t							-	-				
1				100			33					Material Key
t											PL=	PLASTER
	84								1 2 1		DW=	DRYWALL
-							-		-		WD=	WOOD
						- 9					CP=	CARPET
-							-	-			RS=	RESILIENT
					-		1				CN=	CONCRETE
-	-										AC=	ACOUSTICAL
			11 2 1								PN=	PANELING
-	-					Z IX					CB=	CONCRETE BLOCK
-											OJ=	OPEN WOOD JOIST
-											FG=	FIBERGLASS
											CL=	CELLULOSE
L					- 200						GL=	WINDOW GLAZE
											CM=	CERAMIC
	AL.											JULIANIC

JS ASBESTOS SURVERY OF

733 Minerva St. East Liverpool OH 43920

		Description		Room		Dir/Part	Qty	G/F/P	Friable	
2		PLaster		/	N		3,193	-	N	
			1	2		uc		6	N	HOMOGENOUS AREA (HA) KEY
3		Plaster	1	3		-		6	N	A-PLASTER
4		Olaster	12	Hall		WL		9	N	B-DRYWALL
		Plaster	2	2	5	we		G	N	C-WINDOW GLAZE
	8	Onywall		4		WL	1,283	6	Y	D-ACOUSTIC TILE
		Dynny	1	2		wi		6	Y	E-ASPHALT SHINGLES
		Drywall		3	n	hu		6	Y	F-MASTIC
9	C		1	3	4	win	12	F	N	G-9 X 9 TILES
10	6	Gluce	1	4		WIN	12	F	N	NEW YORK THE RESERVE TO SERVE THE RESERVE TO SERVE THE RESERVE THE
11	C	Glase	1	2	E	nin	12	F	N	
12							in the	4.1		Survey Key
13					4.					PL = Plaster
14		No.								DW = Dry Wall
15							STUD			PN = Paneling
16										AC =Acoustic
17										CP = Carpet
18				7.5						WD = Wood
19										RS = Resilient
20										CR = Ceramic
21		المراجع المراجع								CN = Concrete
22			I LITTLE I					TUE		CB = Concrete Block
23				Cyll II				100		OJ = Open Wood Joist
24						I LELLY				G/F/P = GOOD FAIR POOR
25					Hi.					
26										
27							-	75.		
28			4							A STORY OF THE RESIDENCE OF
29										
30			التار							
31			200							
32			4.							
33	10									
34										
sumed			Quanity		nditi		Friable	Ro	om(s)	NOTES
		e House	1,42	14	6	ood	H			
	ningl	e Garage								
ers	-						W 1.2			
isters		-	16	2019	fai			thro	uskout	
t Wraj	0		4		Fai	r	У	Basen		
nsite			-							
Tiles				201				البياس		T DOLLAR HOLDER
									II. A Ini	

JS ASBESTOS SURVERY OF 733 Minerva St. East Liverpool OH 43920

Photo Log

	(Photo	Photo Log s Availible Upon Request)
1	Address	30
2	South Cylorias	31
3	West Exterior	32
4	East Exlerin	33
5	Hoor 1 Room 1	34
6	Floor / Room 2	35
7	floor 1 Room 3	36
8	Floor 1 Room 4	37
	Sharr to fleer 2	38
10	Flor 2 Room 1	39
11	Floor 2 Roam 2	40
	Acor 2 Room 3	41
13	Floor 2 Room 4	42
14	Basement Stairs	43
15	Basement	44
16	Basement	45
17	furnace	46
18	Belleville Trip	47
19		48
20		49
21		50
22		51
23		52
24		53
25		54
26		55
27		56
28		57

Signature Linguity

29

John Sum

58

733 Minerva St. East Liverpool, Ohio















The Identification Specialists

Analysis Report prepared for J S Asbestos Inspections, LLC

Report Date: 2/24/2023

Project Name: 733 Minerva

Project #: 733

SanAir ID#: 23009227

TESTING (B)

NVLAP LAB CODE 200870-0

10501 Trade Court | North Chesterfield, Virginia 23236 888.895.1177 | 804.897.1177 | fax: 804.897.0070 | IAQ@SanAir.com | SanAir.com



Name: J S Asbestos Inspections, LLC

Address: 1317 Keefer Road

Girard, OH 44420

Phone: 330-503-2844

Project Number: 733 P.O. Number:

Project Name: 733 Minerva Collected Date: 2/11/2023

Received Date: 2/14/2023 10:40:00 AM

Dear Steven Gerberry,

We at SanAir would like to thank you for the work you recently submitted. The 12 sample(s) were received on Tuesday, February 14, 2023 via UPS. The final report(s) is enclosed for the following sample(s): 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 5.

These results only pertain to this job and should not be used in the interpretation of any other job. This report is only complete in its entirety. Refer to the listing below of the pages included in a complete final report.

Sincerely,

Sandra Sobrino

Asbestos & Materials Laboratory Manager SanAir Technologies Laboratory

andra Sobino

Final Report Includes:

- Cover Letter

- Analysis Pages

- Disclaimers and Additional Information

Sample conditions:

- 12 samples in Good condition.



Name: J S Asbestos Inspections, LLC

Address: 1317 Keefer Road

Girard, OH 44420 **Phone:** 330-503-2844

Project Number: 733 P.O. Number:

Project Name: 733 Minerva Collected Date: 2/11/2023

Received Date: 2/14/2023 10:40:00 AM

Analyst: Magalis, Lane

Asbestos Bulk PLM EPA 600/R-93/116

	Stereoscopic	Com	ponents	
SanAir ID / Description	Appearance	% Fibrous	% Non-fibrous	Asbestos Fibers
1 / 23009227-001 Plaster Floor 1 Room 1 N WL	White Non-Fibrous Heterogeneous		100% Other	None Detected
2 / 23009227-002 Plaster Floor 1 Room 2 W WL	White Non-Fibrous Heterogeneous		100% Other	None Detected
3 / 23009227-003 Plaster Floor 1 Room 3 CL	Grey Non-Fibrous Heterogeneous		100% Other	None Detected
4 / 23009227-004 Plaster Floor 2 Hall S WL, Plaster	Grey Non-Fibrous Heterogeneous		100% Other	None Detected
4 / 23009227-004 Plaster Floor 2 Hall S WL, Skim Coat	White Non-Fibrous Homogeneous		100% Other	None Detected
5 / 23009227-005 Plaster Floor 2 Room 2 S WL, Plaster	Grey Non-Fibrous Heterogeneous		100% Other	None Detected
5 / 23009227-005 Plaster Floor 2 Room 2 S WL, Skim Coat	White Non-Fibrous Homogeneous		100% Other	None Detected
5 / 23009227-005 Plaster Floor 2 Room 2 S WL, Texture	Various Non-Fibrous Homogeneous		98% Other	2% Chrysotile
6 / 23009227-006 Drywall Floor 1 Room 4 S WL, Drywall	Grey Non-Fibrous Homogeneous	5% Cellulose	95% Other	None Detected
6 / 23009227-006 Drywall Floor 1 Room 4 S WL, Texture	White Non-Fibrous Homogeneous		100% Other	None Detected

Analyst

Analysis Date:

2/24/20

Approved Signatory:

Date: 2/24/2023



Name: J S Asbestos Inspections, LLC

Address: 1317 Keefer Road

Girard, OH 44420 **Phone:** 330-503-2844

Project Number: 733 P.O. Number:

Project Name: 733 Minerva **Collected Date:** 2/11/2023

Received Date: 2/14/2023 10:40:00 AM

Analyst: Magalis, Lane

Asbestos Bulk PLM EPA 600/R-93/116

	Stereoscopic	Com	ponents	
SanAir ID / Description	Appearance	% Fibrous	% Non-fibrous	Asbestos Fibers
7 / 23009227-007 Drywall Floor 1 Room 2 W WL, Drywall	Grey Non-Fibrous Homogeneous	5% Cellulose	95% Other	None Detected
7 / 23009227-007 Drywall Floor 1 Room 2 W WL, Texture	White Non-Fibrous Heterogeneous		100% Other	None Detected
8 / 23009227-008 Drywall Floor 2 Room 3 W WL	Grey Non-Fibrous Homogeneous	5% Cellulose	95% Other	None Detected
9 / 23009227-009 Glaze Floor 1 Room 3 W Win	Grey Non-Fibrous Homogeneous		100% Other	None Detected
10 / 23009227-010 Glaze Floor 1 Room 4 N Win	White Non-Fibrous Homogeneous		100% Other	None Detected
11 / 23009227-011 Glaze Floor 1 Room 2 E Win	Various Non-Fibrous Heterogeneous	30% Cellulose	70% Other	None Detected

Analyst

Analysis Date:

2/24/2023

Approved Signatory:

Date:

landra Asbirno



Name: J S Asbestos Inspections, LLC

Address: 1317 Keefer Road

Girard, OH 44420

Phone: 330-503-2844

Project Number: 733 P.O. Number:

Project Name: 733 Minerva Collected Date: 2/11/2023

Received Date: 2/14/2023 10:40:00 AM

Analyst: Magalis, Lane

Asbestos Bulk EPA PLM 400 Point Count

	Stereoscopic	Com	ponents	
SanAir ID / Description	Appearance	% Fibrous	% Non-fibrous	Asbestos Fibers
7 / 23009227-012	Various		99.25% Other	0.75% Chrysotile
Plaster Floor 2 Room 2S WL	Non-Fibrous			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Texture	Heterogeneous			

Analyst:

Analysis Date:

2/24/2023

Approved Signatory:

Date

andra Abbient

Disclaimer and Additional Information

400 Point Count Method EPA 600/R-93/116

EPA – 40 CFR Appendix E to Subpart E of Part 763, Interim Method of the Determination of Asbestos in Bulk Insulation Samples

EPA 600/R-93/116: Method for the Determination of Asbestos in Bulk Building Materials

This report is the sole property of the client named on the SanAir Technologies Laboratory chain-of-custody (COC). Results in the report are confidential information intended only for the use by the customer listed on the COC. Neither results nor reports will be discussed with or released to any third party without our client's written permission. The final report shall not be reproduced except in full without written approval of the laboratory to assure that parts of the report are not taken out of context. The information provided in this report applies only to the samples submitted and is relevant only for the date, time, and location of sampling. The accuracy of the results is dependent upon the client's sampling procedure, additions, exclusions, method deviations and information provided to the laboratory by the client. When client requires samples to be tested that deviates from a specific method or condition, all reported results may be affected by the deviation. SanAir assumes no responsibility for the sampling procedure and will provide evaluation reports based solely on the sample(s) in the condition in which they arrived at the laboratory and information provided by the client on the COC, such as: project number, project name, collection dates, purchase order number, special instructions, samples collected by, sample numbers, sample identifications, sample type, selected analysis type, flow rate, total volume or area, and start - stop times that may affect the validity of the results in this report. Samples were received in good condition unless otherwise noted. SanAir assumes no responsibility or liability for the manner in which the results are used or interpreted. This report does not constitute and shall not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any other U.S. governmental agencies and may not be accredited by every local, state, and federal regulatory agency. Samples are held for a period of 60 davs.

Asbestos Certifications NVLAP Lab Code 200870-0

City of Philadelphia Department of Public Health Certificate Number: ALL-460

PA Department of Environmental Protection Number: 68-05397

California ELAP Certificate Number: 2915

Colorado Department of Public Health & Environment Registration Number: AL-23143

Connecticut Department of Public Health Registration Number: PH-0105 Massachusetts Department of Labor Standards License Number: AA000222

State of Maine Department of Environmental Protection License Number: LB-0075, LA-0084

New York Department of Health Lab ID No: 11983

State of Rhode Island Department of Health Certification Number: PCM00126, PLM00126, TEM00126

Texas Department of State Health Services License Number: 300440

Commonwealth of Virginia Department of Professional & Occupational Regulation Number 3333000323

The State of Washington Department of Ecology Laboratory ID: C989

State of West Virginia Bureau for Public Health Asbestos Laboratory Number: LT000616

Vermont Department of Health License Number: AL166318

State of Louisiana Department of Environmental Quality, Al Number: 212253, Certificate Number: 05088

Revision Date: 9/13/2022

Disclaimer

This report is the sole property of the client named on the SanAir Technologies Laboratory chainof-custody (COC). Results in the report are confidential information intended only for the use by the customer listed on the COC. Neither results nor reports will be discussed with or released to any third party without our client's written permission. The final report shall not be reproduced except in full without written approval of the laboratory to assure that parts of the report are not taken out of context. The information provided in this report applies only to the samples submitted and is relevant only for the date, time, and location of sampling. The accuracy of the results is dependent upon the client's sampling procedure and information provided to the laboratory by the client. SanAir assumes no responsibility for the sampling procedure and will provide evaluation reports based solely on the sample(s) in the condition in which they arrived at the laboratory and information provided by the client on the COC, such as: project number, project name, collection dates, po number, special instructions, samples collected by, sample numbers, sample identifications, sample type, selected analysis type, flow rate, total volume or area, and start stop times that may affect the validity of the results in this report. Samples were received in good condition unless otherwise noted on the report. SanAir assumes no responsibility or liability for the manner in which the results are used or interpreted. This report does not constitute and shall not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any other U.S. governmental agencies and may not be certified by every local, state, and federal regulatory agencies.

Samples are held for a period of 60 days. Fibers smaller than 5 microns cannot be seen with this method due to scope limitations.

For NY state samples, method EPA 600/M4-82-020 is performed.

NYELAP Disclaimer:

Polarized- light microscopy is not consistently reliable in detecting asbestos in floor covering and similar non-friable organically bound materials. Quantitative transmission electron microscopy is currently the only method that can be used to determine if this material can be considered or treated as non-asbestos containing.

Asbestos Certifications

NVLAP lab code 200870-0 City of Philadelphia: ALL-460

PA Department of Environmental Protection Number: 68-05397

California License Number: 2915
Colorado License Number: AL-23143
Connecticut License Number: PH-0105
Massachusetts License Number: AA000222
Maine License Number: LB-0075, LA-0084

New York ELAP lab ID: 11983

Rhode Island License Number: PCM00126, PLM00126, TEM00126 Texas Department of State Health Services License Number: 300440

Commonwealth of Virginia 3333000323 Washington State License Number: C989 West Virginia License Number: LT000616

Vermont License: AL166318

Louisiana Department of Environmental Quality: 212253, Cert 05088

Revision Date: 8/14/2020



1551 Oakbridge Dr. STE B Powhatan, VA 23139 804.897.1177 / 888.895.1177 Fax 804.897.0070

Asbestos Chain of Custody Form 140, Rev 1, 1/20/2017 230 09777

Tech	Technologies Laboratory Sanair.com)070	70 Form 140, Rev 1, 1/20/2017							
Company:	J S Asbesto	s Inspect	lions,	ITC	Pro	ject #: 133			Collect by: S	teven Gerberry		
Address	1317 Keefe	r Road	s/*	Pr	oject Name: 7	133 MINE	Prv	A	Phone #: 330-503-2844			
City, St., Z	in: Girard, OH	44420		De		eb 11,202			Fex#:			
State of Co	Mection:	Account#:	30	628 P.	O. Number:				Emeil: jsast	oestoslic@gmail.	.com	
	Bulk			-	Air				Sofi			
ARB	PLM EPA 600/R-93/116		ABA	PCM NIOS	H 7400	0	ABSE	PLM EPA	500/R-93/116 (Qual.)			
)	Positive Stop			ABA-2	ABA-2 OSEA w/ TWA Vermicali			ite & Soil				
ABEPA	PLM EPA 400 Poin	nt Count		ABTE	STEM TEM AHERA			ABSP	PLM CARB 435 (LOD <1%)			
ABBIK	PLM EPA 1000 Po	int Count		ABAT	BATN TEM NIOSH 7402		В	ABSP1	FLM CARB 435 (LOD 0,25%)		П	
ABBEN	PLM EPA NOB**			ABT2	TEM Level	11		ABSP2	PLM CARB 435 (LOD 0.1%)			
ABBCH	TEM Chatfield**			Other:			0		Dus	t		
ABBTM	TEM EPA NOB**				New York I	ELAP		ABWA	TEM Wipe	ASTM D-6480		
ABQ	PLM Qualitative			PLMN	Y PLM EPA 6	00/M4-82-020	D	ABDMV	TEM Micro	wac ASTM D-5755		
**	Available on 24-hr. t	o 5-day TAT	-	ABEPA	2 NY ELAP 1	98.1	0		ile.			
	Water			ABENY	NY ELAP 1	98.6 PLM NOB		Matrix	Othe	31 B		
ABHE	EPA 100.2			ABBNY	NY ELAP 1	98.4 TEM NOB	а					
· 15	en Around	A TTD (4	- TOD 375		6 MB /91	ER TEM)	Г	12 HR	<u> </u>	24 HR 🗇		
	Times	3 HR (4	2 Dey			3 Days		D 41		■ 5 Days		

Sample #	Sample Identification/Location	Volume or Area	Sample Date	Flow Rate*	Start – Stop Time*	
1	Pluske Floor / Room / NWL	3193	2/11/23			
2	Plaster floor 1 Room 2 was	3193	2/11/23			
3	Pluster Floor #1 Rion 3 CL	3193	2/11/23			
4	Plaster Floor 2 Hall SWL	3193	2/11/23			
5	Plaster Floor 2 Room 2 SWL	3193	2/11/23			
6	Drywall Floor I Room 4 SWL	1283	2/11/23			
7	Drywall flows I Roin 2 www	1283	2/1/23			
8	Dynall Flour 2 Rum 3 m WL	1283	2/11/23			
9	Glaze Flour I Rom 3 WWIN	12	2/11/23			
10	Clare Floor / Roomy N WIN	12	2/11/25			
1/	Glaze Floor I Room ? EWIN	12	2/11/23			

Relinguished/by/	Date	Time	Received by	Date	Time
Shall (Ully	2/12/2023	6:30 AM	IRM	7/14/23	10.40 cm
1	T-1-1-1				

If no technicion is provided, then the primary contact for your account will be selected. Unless scheduled, the turnaround time for all samples received after 3 per EST Priday will begin at 3 am Monday morning. Weekend or holiday work must be acheduled ahead of time and is charged for ruch turnaround time. SanAir covers Standard Overstight FedEx shipping. Shipments billed to SanAir with a faster shipping rate will result in additional charges.

Page of

United States Department of Commerce National Institute of Standards and Technology



Certificate of Accreditation to ISO/IEC 17025:2017

NVLAP LAB CODE: 200870-0

SanAir Technologies Laboratory, Inc.

N. Chesterfield, VA

is accredited by the National Voluntary Laboratory Accreditation Program for specific services, listed on the Scope of Accreditation, for:

Asbestos Fiber Analysis

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017.

This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO-ILAC-IAF Communique dated January 2009).

2022-04-01 through 2023-03-31

Effective Dates



For the National Voluntary Laboratory Accreditation Program

National Voluntary Laboratory Accreditation Program



SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

SanAir Technologies Laboratory, Inc.

N. Chesterfield, VA 23236 Ms. Sandra Sobrino Phone: 804-897-1177 Fax: 804-897-0070

Email: ssobrino@sanair.com http://www.sanair.com

ASBESTOS FIBER ANALYSIS

NVLAP LAB CODE 200870-0

Bulk Asbestos Analysis

Code

Description

18/A01

EPA -- 40 CFR Appendix E to Subpart E of Part 763, Interim Method of the Determination of

Asbestos in Bulk Insulation Samples

18/A03

EPA 600/R-93/116: Method for the Determination of Asbestos in Bulk Building Materials

Airborne Asbestos Analysis

Code

Description

18/A02

U.S. EPA's "Interim Transmission Electron Microscopy Analytical Methods-Mandatory and Nonmandatory-and Mandatory Section to Determine Completion of Response Actions" as found in

40 CFR, Part 763, Subpart E, Appendix A.

For the National Voluntary Laboratory Accreditation Program

Asbestos Bulk Sampling Information

733 MinervavSt., East Liverpool, OH

НА	Sample #	Material	Location	Quanity	Condition	Friable Y/N	Asbestos Results
Α	1-5	Plaster	Throughout house	3,193 sf	Good	N	0.75%
В	6-8	Drywall	Throughout house	1,283 sf	Good	Υ	ND
С	9-11	Glaze	Windows Throughout	12 sf	Fair	N	ND

ND= Not Detected

NA=Not Analized due to positive stop

Summary of Assumed ACM's

Material	Location	Category	Quanity	Condition	Friable Y/N
Asphalt Shingles	House	1	1,424 sf	Good	N
Register	throughout	friable ACM	16 sf	Fair	Y
Duct Wrap	Basement	friable ACM	4 sf	Fair	Y

MEMORANDUM OF AGREEMENT GRANTING ACCESS TO PROPERTY AS REQUIRED TO PARTICIPATE IN RESIDENTIAL BUILDING DEMOLITION

This Memorandum of Agreement ("MOA") serves to confirm and document the intent of Vincert J. Milewski Sk. ("Owner / Owners"), to provide access to Owner's / Owners' property ("Property") to the City of East Liverpool, their employees, agents and contractors, for purposes of participating in Residential Building Demolition. Owner(s) represent(s) that he/she/they is/are the legal owner(s) of property situated at 733 Minex Va St. located in East Liverpool, Ohio (Parcel ID: 37-09538.000)
Owner(s) agree(s) to the following conditions, as indicated by his/her/their signature(s) below, as follows:
1. Authorization for full access to the above-described property is granted to the City of East Liverpool, their employees, agents, and contractors. Access includes, but is not limited to, assessment of site for demolition, any activity required for demolition, and allowing all necessary equipment and personnel to achieve successful completion of demolition.
2. Owner will maintain ownership of Property and will not transfer, sell, deed, gift, sublet, or otherwise cause a change in ownership of Property during the term of demolition, unless the change in ownership is to the County or other appropriate governmental entity. This MOA shall be binding upon the Owner(s) hereto and their respective heirs, successors, legal representatives, successors, and assigns.
3. Owner shall indemnify and hold harmless the City of East Liverpool and related entities involved in demolition from and against any and all claims, demands, damages, actions, or causes of action, together with any and all losses, costs, or related expenses asserted by any person or persons for bodily injury, death or property damage ensuing from participation in demolition.
4. Owner will take no actions or lack of action that interferes with successful completion of demolition.
5. Consent granted by this MOA is irrevocable until completion of the demolition. Should Owner(s) cause the demolition to end prior to its successful completion, Owner(s) will be responsible for all costs incurred in demolition.
6. Owner agrees to fully cooperate with any additional requirements if needed. Such requirements may include, but are not limited to, any documentation, agreements, permits, easements, or liens with the City of East Liverpool or other governmental entities needed for successful completion of demolition.
Owner affirms that to the best of his/her/their knowledge the property is not subject to any liens or other encumbrances.
Property Owner(s) Signature) Other Signature (Date) Other Signature (Phone Number)
Sworn to or affirmed and subscribed before me by VINCENTT. NIEWSKI (name of person making oath / affirmation) on this date of 2/3/2023 ROBIN L SMITH Notary Public State of Ohio Notary Seal) My Comm. Expires
December 23, 2024 Signature of Notary Public

My Commission Expires: 12/23/24

GENERAL DEMOLITION SPECIFICATIONS

PPN: 37-02629.000

810 McKinnon Avenue East Liverpool, Ohio 43920

Property Type: Residential, Single Dwelling

Lot Dimensions: 50' x 30'

Building Size: 1547 sq. ft.

*See Exhibit "B: 01-2023" for completed Asbestos

Survey.

Please notify the City of East Liverpool if any unique site conditions require immediate discussion.



- 1. Demolish structure(s) and all ancillary improvements on property, such as garages and sheds, and all paved surfaces, including driveways, service walks and patios, unless otherwise noted. Haul debris to an appropriate landfill. All structural elements, including basement walls and floor, are to be removed unless otherwise noted.
- 2. Foundation: Remove all unless portions of the foundation are needed to support neighbor's driveway, sidewalk, or adjacent structure. If portions of the foundation are left to support an adjacent structure, the foundation should be removed to at least eighteen (18) inches below finished grade.
- 3. Existing Pavement Conditions: Remove all driveways, walkways and any other preexisting pavement. Retain all retaining walls, curbs, and city sidewalk in their current condition. Damage to retaining walls, public sidewalks, curbs, and streets must be corrected or repaired pursuant to the City's regulations.
- 4. Remove foundation plantings and front yard hedges unless otherwise noted. Preserve all mature trees.
- 5. After the removal of the building materials and structural elements, apply lawn seed at seed rate according to manufacturer's directions over seed bare patches in existing lawn. Rake or roll seeded areas to provide good seed-soil contact. Cover seeded area with weed-free straw blanket or 1/2" compost (NOT mulch) per manufacturer's directions.
- 6. Provide a finished site that is level and free of construction debris, brush, and trash, including along lot lines and in tree line. The Contractor is responsible for completing all site finish specifications listed in the bid documents and for ensuring that grass is growing on site and that the site can be safely mowed. A thorough watering is also highly recommended.
- 7. Additional Notes:
- 8. Asbestos Survey Findings: Attached.
- 9. Notify City of East Liverpool Planning Department 330-385-5394 at least 24 hours prior to commencing work.
- 10. Contractor shall have competent Superintendent on the site at all times when work is taking place.
- 11. Contractor shall secure all necessary permits. If necessary, all applicable sidewalk repair permits shall be secured.
- 12. Contractor shall have all utilities shut off for project location and shall ensure that there is no loss of utilities to any other property.

[nitials:	
lnitials:	

Parcel Number: 37-02629.000, 810 McKinnon Avenue

- 13. Contractor shall begin and complete work contract work within the contract dates. City of East Liverpool reserves the right to cancel the contract if not complete within the time limitation stipulated in the contract without making substitutions or payments for prior work rendered and/or may fine the Contractor \$500 per property per day until work is completed.
- 14. Contractor shall notify Ohio Utility Protection Service (OUPS) as required by law.
- 15. Contractor shall walk through the interior of the structure prior to demolition, to verify it is unoccupied.
- 16. Contractor shall visually verify that asbestos abatement has been completed if required. If RACM or transite is still present, notify City of East Liverpool at once so that abatement can be arranged and completed prior to demolition.
- 17. Contractor shall take all necessary precautions, including, but not limited to warning signs, barricades, and fall protection, to protect workers and the public, and shall eliminate unnecessary hazards before leaving the jobsite at the end of each day. Hazards such as missing sidewalks and demolition debris must be marked with yellow caution tape.
- 18. Contractor shall reinstall fall protection and safety precautions at the end of each workday.
- 19. In the event of damage to an adjacent property, Contractor shall speak with the property owner and notify City of East Liverpool immediately. Contractor is liable for damage to neighboring property.
- 20. Contractor shall provide to City of East Liverpool prior to, and as an additional component of, payment for work performed, all pertinent verified original receipts form an approved land fill or dump site, evidencing that all waste material from the job site contracted herein was disposed of in a proper manner. Receipts shall bear the date, job address, location of land fill or dump site, cubic yardage dumped, and bear the signature of the Contractor's driver and receiving facility representative. The Contractor must also provide before, during, and after photos of the demolition for each property. In the event any such information is not provided, City of East Liverpool shall withhold payment until received and approved.
- 21. Contractor shall minimize dust and inconvenience to neighbors. Contractor shall provide labor and use hoses of sufficient length to prevent discharge of visible emissions to the outside air throughout demolition.
- 22. All lot and structure information provided herein is obtained from the Columbiana County Auditor's Office and must be field verified by the Contractor.

By signing this document, the Contractor understands and agrees to complete all of the Work as outlined pursuant to the Contract. The undersigned has also read and fully understands the bid documents which have been provided separately.

Contractor Signature:		
Printed Name:		
Title:		
Contractor Company:		
Date:		

Return this with your Bid

Initials: _____

Demolition Project: 01-2023

Asbestos Survey of 810 McKinnon Ave. East Liverpool, Ohio



Prepared by:

J.S. Asbestos Inspections LLC 1317 Keefer Rd. Girard, Ohio 44420

For:

City of East Liverpool Attn: William L. Cowan 126 West Sixth Street East Liverpool, Ohio 43920

Summary/Site Description

On February 11, 2023 a survey of 810 McKinnon Ave., East Liverpool, OH was performed by J.S. Asbestos Inspections, LLC. The purpose of the asbestos survey was to identify asbestos-containing materials (ACMs) located at the above address prior to demolition activities being performed.

The asbestos survey was conducted in accordance with the Environmental Protection Agency (EPA) National Emissions Standard for Hazardous Air Pollutants (NESHAP). NESHAP regulations require no specific survey protocol be followed; however AHERA protocol is recommended. Therefore, the asbestos survey at the above address was conducted in accordance with AHERA protocol.

AHERA classifies friable building materials into the following three (3) categories: Surface material, thermal system insulation (TSI) and miscellaneous materials. The bulk sampling protocol is based on the AHERA category assigned to a specific homogeneous area and the quantity of the homogeneous are identified. For surfacing materials if the size of the homogeneous sampling area is less than 1,000 square feet then a minimum of three (3) samples are collected. If the size of the homogeneous sampling area is between 1,000 and 5,000 square feet then a minimum of five (5) samples are collected. If the size of the homogeneous sampling is >5,000 square feet then a minimum of seven (7) samples are collected. For TSI, at least three (3) samples are collected from each homogeneous area. Miscellaneous and nonfriable materials are sampled in a manner sufficient as determined by the inspector.

In determining condition of a material the following guidelines were used.

General Damage Criteria					
Good	No Damage				
Fair	Up to 10% overall damage, up to 25% localized				
Poor	Over 10% overall damage, over 25% localized				

The bulk samples collected were submitted to SanAir Technologies Laboratory, Inc., 1551 Oakbridge Drive, Suite B, Powhatan, VA 23139 or 11709 Chesterdale Rd, Cincinnati, OH 45246 for analysis of asbestos content by polarized light microscopy (PLM) using Environmental Protection Agency (EPA) Method 600/R-93/116. Bulk samples identified by PLM as containing more than a trace but less than 3% of asbestos were then analyzed by 400 point count methodology.

ASBESTOS SAMPLE METHODOLOGY

Regulated Asbestos-Containing Materials (RACMs)

Regulated asbestos-containing materials (RACMs) are friable materials with asbestos concentration in excess of the EPA regulatory threshold of 1%. RACMs must be removed from the building prior to demolition by a licensed Asbestos Contractor in accordance with the Asbestos NESHAPS, 40 CFR part 61, and the work practices prohibitions in the OSHA Asbestos in Construction, 29 CFR 1926.1101. The quantities of ACMs and assumed ACMs as presented on the Asbestos Bulk Sampling Information form are approximate and represent the majority of accessible building materials that could be quantified during the survey. In addition, demolition of any of the building's ceiling and/or walls may reveal additional building materials suspected of containing asbestos.

Category I and II Non-Friable Asbestos-Containing Materials

The following Category I and II non-friable asbestos-containing materials may be identified in the building during the survey and will be noted on the Asbestos Bulk Sampling Information form. Bulk sampling locations and homogeneous area locations along with the analytical report for the bulk samples collected will also be included. Category I and II non-friable asbestos-containing materials may remain in place during the demolition and be disposed of as demolition debris, provided that the demolition occurs via conventional means (i.e., the structure is not demolished by burning) and the following conditions are met:

It is Category I non-friable ACM that is not in poor condition and is not friable at the time of demolition:

It is Category II non-friable ACM, and the probability is low that the material will become crumbled, pulverized, or reduced to powder during demolition;

The materials are kept adequately wet at all times during demolition and debris handling;

The materials remain intact during the demolition process and are not subject to sanding, grinding or abrading that may cause them to become friable; and, any concrete or metal to which these materials are applied will be disposed of as Construction and demolition debris at a landfill licensed to accept Category I and II non-friable asbestos waste and will not be recycled.

General Limitations

J.S. Asbestos Inspections LLC cannot guarantee that all asbestos material was located and identified in this survey, due to inaccessibility. Asbestos materials not previously identified or quantified, may be encountered during the demolition.

During demolition additional quantities of asbestos material maybe encountered that were previously inaccessible. If new or additional quantities of suspect materials are encountered, the material is assumed to be asbestos containing, and all activities should cease until the material sampled.

Recommendations

Prior to demolition, contractor(s) working at this structure must be notified of the presence of any building materials identified as containing asbestos or assumed to contain asbestos. Any disturbance of building materials identified as containing less than or equal to 1% asbestos are required to be in compliance with the applicable section of the Occupational Safety and Health Administrations (OSHA's) Asbestos Standard for the Construction Industry. Contractors disturbing any building material identified as containing greater than 1% asbestos or any building material assumed to contain asbestos are required to conduct their activities in accordance with all applicable sections of OSHA's Asbestos Standard as well as applicable EPA NESHAP and Ohio Environmental Protection Agency (OEPA) regulations.

Whenever a structure is part of the same "project" and the total quantity of RACM identified in all structures being demolished equals or exceeds OEPA's regulated quantities of 160 square feet or 260 linear feet, then a licensed asbestos abatement contractor in the State of Ohio needs to be hired to remove the ACMs/assumed ACMs identified on the Asbestos Bulk Sampling Information form as requiring removal prior to any demolition activities. Any material assumed to contain asbestos (ACM) but not designated on the Asbestos Bulk Sampling Information form as requiring removal was considered to be in good to fair condition and can remain within the structure during demolition as long as the ACM does not become friable.

The Ohio Environmental Protection Agency Notification of Demolition and Renovation form must be submitted to OEPA ten (10) days prior to any demolition which will involve the disturbance of 160 square feet or 260 linear feet of RACM (which includes multiple structures of the same "project").

A "Notification of Demolition and Renovation/Abatement" form must be submitted to the Ohio EPA ten (10) days prior to abatement activities being performed which will disturb 50 square feet or 50 linear feet of a friable ACM.

If applicable, as indicated in the OEPA "Notification of Demolition and Renovation" form, Section XVII, ensure that an individual trained in the provisions of NESHAP is on site during the demolition activities. This individual would need to be certified by the Ohio EPA as an Asbestos Hazard Evaluation Specialist and have certification on hand.

John B. Simon, Jr.
Ohio Asbestos Hazard Evaluation Specialist
Certification Number ES35991

John B hio Simon Jr Hio Simon J

Steven J. Gerberry
Ohio Asbestos Hazard Evaluation Specialist
Certification Number ES36384



Studels

APPENDIX A

> Field Report

APPENDIX B


> San Air lab report for bulk samples collected

APPENDIX C


> Asbestos Bulk Sampling Summary of Results form


FIELD SURVEY






	74
Date:	1/11/22
Siding	3
AL	= Aluminum
W) = Wood
XVY	= Vinyl
AS	= Asphalt
TR	= Transite
Roofing	3
MS	= Masonary
A/S	S = Asphalt Shingle
RR	= Rollled Roofing
	= Slate
,	
Go	od Fair Poor
Clean (
Ye	es No
Jtilitie:	s Connected
Y	es No
	Surveyer Cert. Number
× Jo	hn Simon ES35991
Ste	even Gerberry ES36384
lotes:	1,500







Survey Key
PL = Plaster
DW = Dry Wall
PN = Paneling
AC =Acoustic
CP = Carpet
WD = Wood
RS = Resilient
CR = Ceramic
CN = Concrete
CB = Concrete Block

CP

DW

DW

No

No

No

No

RS

AC

PN

Sq. Ft.

No 4 Sq. Ft.

Type

Type

			//	/		STE	/^		ET ONE		us eni	46
/	idos	GOM MALS	dent the	11008	WRAP	, ED REGISTE	REDE	MOOD (ALING ON STATE OF THE STATE OF	ATION	JATOM CELL	NOTES
		PL	PC.	wo	4	30	6	9	_	-		
	2	PL	PL	wo	-	-	3		_	-		
١	3	DL4Dm	PL	ωD		30	,	9	_	-	PL-	NYW WLS
	4	0 W	AC	CP	-	-	,	7	,	-		
	5	wp	w 0	CP		_	3	7	_	_		
		PL	PL	LP	_	1	1	8				
2	2	PL	PL	(D)		-	2	8	_			
	3	PL	PL	CP	4	-	3	8	-	_		
	4	PL	PL	CP	-	-	2	8	1)		
												Material Key
											PL=	PLASTER
											DW=	DRYWALL
											WD=	WOOD
											CP=	CARPET
											RS=	RESILIENT
İ											CN=	CONCRETE
											AC=	ACOUSTICAL
											PN=	PANELING
											CB=	CONCRETE BLOCK
											OJ=	OPEN WOOD JOIST
											FG=	FIBERGLASS
1										,	CL=	CELLULOSE
											GL=	WINDOW GLAZE
											CM=	CERAMIC

JS ASBESTOS SURVERY OF

810 McKinnon Ave. East Liverpool OH 43920

#	НА	Description	FL	Room	Dir/Part	Qty	G/F/P	Friable	
1	A	Plaster	1	1	10 000	4368	6	~	
2	_	Praster	1	2	CL	13/Q	6	N	HOMOGENOUS AREA (HA) KEY
3	_	Packer	1	3	wwL	NSICO		N	A-PLASTER
4		flaster	2	HAIL	n nL	4366	6	N	B-DRYWALL
5	A	Plasker	2	3	CL	4360	67	N	C-WINDOW GLAZE
_	-11	agrass	1	4	NWL	616	6	У	D-ACOUSTIC TILE
7	-	Mwall	1	3	EWL	616	G	Y	E-ASPHALT SHINGLES
	B	Dywall	1	3	SWL	416	6	У	F-MASTIC
9	_	Glare	1	5	www	24	F	N	G-9 X 9 TILES
_	_	Glare	1	Porch	NWIN	24	F	N	
11	C	GLATE	2	1	SWIN	24	F	N	-
12		950.00		+-'	3 60 715	1-1		/5	Survey Key
13									PL = Plaster
14	_								DW = Dry Wall
15				—					PN = Paneling
16									AC =Acoustic
17						-			CP = Carpet
18				-		+			WD = Wood
19						1			RS = Resilient
20				-		+			CR = Ceramic
21									CN = Concrete
22									CB = Concrete Block
23						- 3			OJ = Open Wood Joist
24						-			G/F/P = GOOD FAIR POOR
25						1			G/F/F = GOOD FAIR FOOR
26									
27						+			
28									
29									
30			N.J						
31							_		
32						1			
33									
34									
ssume	d AC	M (Quanity		Condition	Friable	R	loom(s)	NOTES
		gle House		12	Good	У		ise	NO 10
		gle Garage	-		U1004	'	TIJU	130	
sers			60		fair	V	F)	em 1+2	
Registers			B		fair	14		Rm 1 F12	Pm2
Duct Wrap		25		fair	У	Basement			
ansite			_			1	203011		
			_						
X9 Tiles									

Photo Log

(Photos Availible Upon Request)

1 Address 30 2 North Exterior 31 3 East Exterior 32 4 west Exterior 33 5 Sanh Exterior 34 6 Flour I Rown I 35 7 Flour I Rown I wint reg 36 8 Flour I Rown 3 38 10 Flour I Rown 3 38 10 Flour I Rown 5 40 12 Flour I Rown I Wint reg 41 13 Stairs to Second Flour 42 14 Floor 2 Rown I 43 15 Floor 2 Rown I 43 16 Flour 2 Rown I 44 16 Flour 2 Rown I 46 18 Barement 48 20 Farmact 49 21 wint In Basement 50 22 Basement 51 23 wint In Basement 52 24 55 26 57 28 58		(I Hotos Av	allible opon kequest)
2 North Exterior 31 3 East Exterior 32 4 west Exterior 33 5 Sonth Exterior 34 6 floor 1 form 1 35 7 floor 1 form 1 with reg 36 8 floor 1 form 2 37 9 floor 1 form 3 38 10 floor 1 form 4 39 11 floor 1 form 5 40 12 floor 1 form 1 with reg 41 13 Stairs to second floor 42 14 floor 2 form 1 43 15 floor 2 form 3 45 17 floor 2 form 3 45 17 floor 2 form 4 46 18 becoment stairs 47 19 Basement 48 20 formact 49 21 with in Basement 51 23 wind in Basement 52 24 53 25 54 26 55 27 56	1	Adduess	30
4 west Exterior 33 5 South Exterior 34 6 floor I Room I 35 7 floor I Room I wrap reg 36 8 floor I Room 2 37 9 floor I Room 3 38 10 floor I Room 4 39 11 floor I Room 5 40 12 floor I Room I wrap 41 13 Stans to Second floor 42 14 floor 2 Room 1 43 15 floor 2 Room 2 44 16 floor 2 Room 3 45 17 floor 2 Room 4 46 18 bacement Stairs 47 19 basement 48 20 formact 49 21 wrap in Basement 50 22 basement 51 23 wrap in Basement 52 24 53 25 54 26 55			31
5 South Exterior 34 6 Flour I Room I 35 7 Avoil Poum I WAP (eg 36 8 Floor I Room 2 37 9 Floor I Room 3 38 10 Floor I Room 4 39 11 Floor I Room 5 40 12 Floor I Room I WAP 41 13 Staves to second floor 42 14 Floor 2 Room 1 43 15 Floor 2 Room 2 44 16 Floor 2 Room 3 45 17 Floor 2 Room 4 46 18 Basement Stairs 47 19 Basement Stairs 47 19 Basement 50 22 Basement 51 23 Wrap in Basement 52 24 53 25 54 26 55	3	East Exterior	32
6 floor form 35 7 floor form w/Ap reg 36 8 floor form 2 37 9 floor Room 3 38 10 floor Room 4 39 11 floor Room wrap 41 13 Stairs to Second floor 42 14 floor 2 Room 2 44 16 floor 2 Room 3 45 17 floor 2 Room 4 46 18 backment Shars 47 19 Basement 48 20 formact 49 21 wrap in Basement 50 22 basement 51 23 wrap in Basement 52 24 53 25 54 26 55	4	west Exterior	33
7 Avoil Poom WAP 1eg 36 8 Floor Room 2 37 9 floor Room 3 38 10 Av. Room 4 39 11 floor Room 5 40 12 floor Room WAP 1eg 41 13 Starts to Second Ploor 42 14 floor 2 Room 1 43 15 floor 2 Room 2 44 16 floor 2 Room 4 46 18 bacement Stairs 47 19 Basement 48 20 farnace 49 21 wirp in Basement 50 22 basement 51 23 wirp in Basement 52 24 55 26 27 56 28	5	South Exterior	34
8 floor Power 2 37 9 floor Room 3 38 10 Floor Room 4 39 11 floor Room 5 40 12 floor Room Wing 41 13 Stavs to Second floor 42 14 floor 2 Room 1 43 15 floor 2 Room 2 44 16 floor 2 Room 3 45 17 floor 2 Room 4 46 18 bacement Shares 47 19 Basement 48 20 formace 49 21 wing in Basement 50 22 basement 51 23 wing in Basement 52 24 53 25 54 26 55	6	floor 1 from 1	35
9 floor 1 Room 3 10 floor 1 Room 4 11 floor 1 Poom 5 40 12 floor 1 Room 1 wing 41 13 Starvs to Second floor 42 14 floor 2 Room 1 43 15 floor 2 Room 2 44 16 floor 2 Room 3 45 17 floor 2 Room 4 46 18 Bacement Shares 47 19 Basement 48 20 fusinact 49 21 wing in Basement 50 22 basement 51 23 wing in Basement 52 24 53 25 54 26 55 27 56 28 57	7	Fluor Poum I WIAP reg	36
9 floor 1 Room 3 10 floor 1 Room 4 11 floor 1 Poom 5 40 12 floor 1 Room 1 wing 41 13 Starvs to Second floor 42 14 floor 2 Room 1 43 15 floor 2 Room 2 44 16 floor 2 Room 3 45 17 floor 2 Room 4 46 18 Bacement Shares 47 19 Basement 48 20 fusinact 49 21 wing in Basement 50 22 basement 51 23 wing in Basement 52 24 53 25 54 26 55 27 56 28 57	8	Fluo. 1 Room 2	37
11 flor 1 form 5 40 12 flor 1 form 1 wing 41 13 Starvs to second flor 42 14 floor 2 from 1 43 15 floor 2 form 2 44 16 floor 2 form 3 45 17 floor 2 form 4 46 18 bacement starrs 47 19 Basement 48 20 formact 49 21 wing in Basement 50 22 basement 51 23 wing in Basement 52 24 53 25 54 26 55 27 56 28 57			38
12 flow 1 form 1 wint 41 13 Starvs to second flow 42 14 floor 2 form 1 43 15 floor 2 form 2 44 16 floor 2 form 3 45 17 floor 2 form 4 46 18 format shirs 47 19 floor shirs 47 19 floor mant shirs 49 21 wint in basement 50 22 farmat 51 23 wint in Basement 52 24 53 25 54 26 55 27 56 28 57	10	Aur 1 Room 4	39
13 Stairs to Second Place 42 14 Floor 2 Room 1 43 15 Floor 2 Room 2 44 16 Floor 2 Room 3 45 17 Floor 2 Room 4 46 18 Bacement Shairs 47 19 Basement 48 20 Farnace 49 21 Wirp in Basement 50 22 Basement 51 23 Winp in Basement 52 24 53 25 54 26 55 27 56			40
14 Floor 2 Room 1 43 15 Floor 2 Room 1 44 16 Floor 2 Room 3 45 17 Floor 2 Room 4 46 18 Barement Shares 47 19 Barement 48 20 Farnace 49 21 Wirp in Barement 50 22 Barement 51 23 Winp in Barement 52 24 53 25 54 26 55 27 56	12	floor 1 form 1 winp	41
14 Floor 2 Room 1 43 15 Floor 2 Room 1 44 16 Floor 2 Room 3 45 17 Floor 2 Room 4 46 18 Barement Shares 47 19 Barement 48 20 Farnace 49 21 Wirp in Barement 50 22 Barement 51 23 Winp in Barement 52 24 53 25 54 26 55 27 56	13	Stars to second floor	42
16 Floor 2 Room 3 45 17 Floor 2 Room 4 46 18 Bacement Shars 47 19 Basement 48 20 Farnace 49 21 Wirp in Basement 50 22 Basement 51 23 Winp in Basement 52 24 53 25 54 26 55 27 56 28 57			43
17 floor 2 Roum 4 46 18 bacement Shairs 47 19 Basement 48 20 farnace 49 21 winp in Basement 50 22 basement 51 23 winp in Basement 52 24 53 25 54 26 55 27 56 28 57	15	Floor 2 Room 2	44
18 Basement Shurs 47 19 Basement 48 20 Furnace 49 21 wrap in Basement 50 22 Basement 51 23 wrap in Basement 52 24 53 25 54 26 55 27 56 28 57	16	floor 2 Room 3	45
19 Basement 48 20 Fermant 49 21 wrap in Basement 50 22 Basement 51 23 wrap in Basement 52 24 53 25 54 26 55 27 56 28 57	17	floor 2 Room 4	46
20 Farnace 49 21 wrap in Basement 50 22 Basement 51 23 wrap in Basement 52 24 53 25 54 26 55 27 56 28 57	18	bacement shirs	47
21 WARP IN BOSEMENT 50 22 Basement 51 23 WARP IN BOSEMENT 52 24 53 25 54 26 55 27 56 28 57	19	Basement	48
22 Basement 51 23 Wrap in Basement 52 24 53 25 54 26 55 27 56 28 57	20	furnace	49
23 Wrap in Basement 52 24 53 25 54 26 55 27 56 28 57	21	WIAP IN Besement	50
24 53 25 54 26 55 27 56 28 57			51
25 54 26 55 27 56 28 57	23	wrop in Basement	52
26 55 27 56 28 57	24		53
27 56 28 57	25		54
28 57	26		55
	27		56
29 58	28		57
	29		58

Signature Stm) Wy John Simo

810 McKinnon Ave. East Liverpool, Ohio



Floor 1 Room 1 Wrap Riser





Floor 2 Room 2









The Identification Specialists

Analysis Report prepared for J S Asbestos Inspections, LLC

Report Date: 2/24/2023

Project Name: 810 McKinnon

Project #: 810

SanAir ID#: 23009238

NVLAP®

NVLAP LAB CODE 200870-0

10501 Trade Court | North Chesterfield, Virginia 23236 888.895.1177 | 804.897.1177 | fax: 804.897.0070 | IAQ@SanAir.com | SanAir.com



Name: J S Asbestos Inspections, LLC

Address: 1317 Keefer Road

Girard, OH 44420

Phone: 330-503-2844

Project Number: 810 P.O. Number:

Project Name: 810 McKinnon Collected Date: 2/11/2023

Received Date: 2/14/2023 10:40:00 AM

Dear Steven Gerberry,

We at SanAir would like to thank you for the work you recently submitted. The 11 sample(s) were received on Tuesday, February 14, 2023 via UPS. The final report(s) is enclosed for the following sample(s): 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 1, 2, 3, 4, 5, 9, 10.

These results only pertain to this job and should not be used in the interpretation of any other job. This report is only complete in its entirety. Refer to the listing below of the pages included in a complete final report.

Sincerely,

Sandra Sobrino

Asbestos & Materials Laboratory Manager SanAir Technologies Laboratory

andra Sobiino

Final Report Includes:

- Cover Letter

- Analysis Pages

- Disclaimers and Additional Information

Sample conditions:

- 18 samples in Good condition.



Name: J S Asbestos Inspections, LLC

Address: 1317 Keefer Road

Girard, OH 44420 **Phone:** 330-503-2844

Project Number: 810 P.O. Number:

Project Name: 810 McKinnon Collected Date: 2/11/2023

Received Date: 2/14/2023 10:40:00 AM

Analyst: Hogrefe, Sarah

Asbestos Bulk PLM EPA 600/R-93/116

	Stereoscopic	Con	nponents	
SanAir ID / Description	Appearance	% Fibrous	% Non-fibrous	Asbestos Fibers
1 / 23009238-001 Plaster Floor 1 Room 1 N WL, Plaster	Grey Non-Fibrous Heterogeneous		100% Other	< 1% Chrysotile
1 / 23009238-001 Plaster Floor 1 Room 1 N WL, Skim Coat	White Non-Fibrous Homogeneous		100% Other	None Detected
2 / 23009238-002 Plaster Floor 1 Room 2 CL, Plaster	Grey Non-Fibrous Heterogeneous		100% Other	< 1% Chrysotile
2 / 23009238-002 Plaster Floor 1 Room 2 CL, Skim Coat	White Non-Fibrous Homogeneous		100% Other	None Detected
3 / 23009238-003 Plaster Floor 1 Room 3 W WL, Plaster	Grey Non-Fibrous Heterogeneous		100% Other	< 1% Chrysotile
3 / 23009238-003 Plaster Floor 1 Room 3 W WL, Skim Coat	White Non-Fibrous Homogeneous		100% Other	None Detected
4 / 23009238-004 Plaster Floor 2 Room Hall W WL, Plaster	Grey Non-Fibrous Heterogeneous		100% Other	< 1% Chrysotile
4 / 23009238-004 Plaster Floor 2 Room Hall W WL, Skim Coat	White Non-Fibrous Homogeneous		100% Other	None Detected
5 / 23009238-005 Plaster Floor 2 Room 3 CL, Plaster	Grey Non-Fibrous Heterogeneous		100% Other	< 1% Chrysotile
5 / 23009238-005 Plaster Floor 2 Room 3 CL, Skim Coat	White Non-Fibrous Homogeneous		100% Other	None Detected

Analyst:

Stage

Approved Signatory:

Date:

2/24/2023

Analysis Date:



Name: J S Asbestos Inspections, LLC

Address: 1317 Keefer Road

Girard, OH 44420 **Phone:** 330-503-2844

Project Number: 810 P.O. Number:

Project Name: 810 McKinnon Collected Date: 2/11/2023

Received Date: 2/14/2023 10:40:00 AM

Analyst: Hogrefe, Sarah

Asbestos Bulk PLM EPA 600/R-93/116

	Stereoscopic	Com	ponents	
SanAir ID / Description	Appearance	% Fibrous	% Non-fibrous	Asbestos Fibers
6 / 23009238-006 Drywall Floor 1 Room 4 N WL	White Non-Fibrous Homogeneous	5% Cellulose	95% Other	None Detected
7 / 23009238-007 Drywall Floor 1 Room 3 C WL, Drywall	White Non-Fibrous Homogeneous	5% Cellulose	95% Other	None Detected
7 / 23009238-007 Drywall Floor 1 Room 3 C WL, Texture	White Non-Fibrous Homogeneous		100% Other	None Detected
8 / 23009238-008 Drywall Floor 1 Room 3 S WL, Drywall	White Non-Fibrous Homogeneous	5% Cellulose	95% Other	None Detected
8 / 23009238-008 Drywall Floor 1 Room 3 S WL, Texture	White Non-Fibrous Homogeneous		100% Other	None Detected
9 / 23009238-009 Glaze Floor 1 Room 5 W Win	White Non-Fibrous Homogeneous		100% Other	< 1% Chrysotile
10 / 23009238-010 Glaze Floor 1 Room Porch N Win	White Non-Fibrous Homogeneous		100% Other	< 1% Chrysotile
11 / 23009238-011 Glaze Floor 2 Room 1 S Win	White Non-Fibrous Homogeneous		100% Other	None Detected

Analyst:

Analysis Date:

SHay

Approved Signatory:

23

Date:



Name: J S Asbestos Inspections, LLC

Address: 1317 Keefer Road

Girard, OH 44420 **Phone:** 330-503-2844

Project Number: 810 P.O. Number:

Project Name: 810 McKinnon Collected Date: 2/11/2023

Received Date: 2/14/2023 10:40:00 AM

Analyst: Hogrefe, Sarah

Asbestos Bulk EPA PLM 400 Point Count

	Stereoscopic	Соп	ponents	
SanAir ID / Description	Appearance	% Fibrous	% Non-fibrous	Asbestos Fibers
1 / 23009238-012 Plaster Floor 1 Room 1 N WL, Plaster	Grey Non-Fibrous Heterogeneous		100% Other	< 0.25% Chrysotile
2 / 23009238-013 Plaster Floor 1 Room 2 CL, Plaster	Grey Non-Fibrous Heterogeneous		100% Other	< 0.25% Chrysotile
3 / 23009238-014 Plaster Floor 1 Room 3 W WL, Plaster	Grey Non-Fibrous Heterogeneous		100% Other	< 0.25% Chrysotile
4 / 23009238-015 Plaster Floor 2 Room Hall W WL, Plaster	Grey Non-Fibrous Heterogeneous		100% Other	< 0.25% Chrysotile
5 / 23009238-016 Plaster Floor 2 Room 3 CL, Plaster	Grey Non-Fibrous Heterogeneous		100% Other	< 0.25% Chrysotile
9 / 23009238-017 Glaze Floor 1 Room 5 W Win	White Non-Fibrous Homogeneous		99.25% Other	0.75% Chrysotile
10 / 23009238-018 Glaze Floor 1 Room Porch N Win	White Non-Fibrous Homogeneous		99.5% Other	0.5% Chrysotile

Analyst:

Analysis Date:

2/24/2023

Approved Signatory:

Date:

Disclaimer and Additional Information

400 Point Count Method EPA 600/R-93/116

EPA – 40 CFR Appendix E to Subpart E of Part 763, Interim Method of the Determination of Asbestos in Bulk Insulation Samples

EPA 600/R-93/116: Method for the Determination of Asbestos in Bulk Building Materials

This report is the sole property of the client named on the SanAir Technologies Laboratory chain-of-custody (COC). Results in the report are confidential information intended only for the use by the customer listed on the COC. Neither results nor reports will be discussed with or released to any third party without our client's written permission. The final report shall not be reproduced except in full without written approval of the laboratory to assure that parts of the report are not taken out of context. The information provided in this report applies only to the samples submitted and is relevant only for the date, time, and location of sampling. The accuracy of the results is dependent upon the client's sampling procedure, additions, exclusions, method deviations and information provided to the laboratory by the client. When client requires samples to be tested that deviates from a specific method or condition, all reported results may be affected by the deviation. SanAir assumes no responsibility for the sampling procedure and will provide evaluation reports based solely on the sample(s) in the condition in which they arrived at the laboratory and information provided by the client on the COC, such as: project number, project name, collection dates, purchase order number, special instructions, samples collected by, sample numbers, sample identifications, sample type, selected analysis type, flow rate, total volume or area, and start - stop times that may affect the validity of the results in this report. Samples were received in good condition unless otherwise noted. SanAir assumes no responsibility or liability for the manner in which the results are used or interpreted. This report does not constitute and shall not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any other U.S. governmental agencies and may not be accredited by every local, state, and federal regulatory agency. Samples are held for a period of 60 days.

Asbestos Certifications NVLAP Lab Code 200870-0

City of Philadelphia Department of Public Health Certificate Number: ALL-460

PA Department of Environmental Protection Number: 68-05397

California ELAP Certificate Number: 2915

Colorado Department of Public Health & Environment Registration Number: AL-23143

Connecticut Department of Public Health Registration Number: PH-0105 Massachusetts Department of Labor Standards License Number: AA000222

State of Maine Department of Environmental Protection License Number: LB-0075, LA-0084

New York Department of Health Lab ID No: 11983

State of Rhode Island Department of Health Certification Number: PCM00126, PLM00126, TEM00126

Texas Department of State Health Services License Number: 300440

Commonwealth of Virginia Department of Professional & Occupational Regulation Number 3333000323

The State of Washington Department of Ecology Laboratory ID: C989

State of West Virginia Bureau for Public Health Asbestos Laboratory Number: LT000616

Vermont Department of Health License Number: AL166318

State of Louisiana Department of Environmental Quality, Al Number: 212253, Certificate Number: 05088

Revision Date: 9/13/2022

Disclaimer

This report is the sole property of the client named on the SanAir Technologies Laboratory chainof-custody (COC). Results in the report are confidential information intended only for the use by the customer listed on the COC. Neither results nor reports will be discussed with or released to any third party without our client's written permission. The final report shall not be reproduced except in full without written approval of the laboratory to assure that parts of the report are not taken out of context. The information provided in this report applies only to the samples submitted and is relevant only for the date, time, and location of sampling. The accuracy of the results is dependent upon the client's sampling procedure and information provided to the laboratory by the client. SanAir assumes no responsibility for the sampling procedure and will provide evaluation reports based solely on the sample(s) in the condition in which they arrived at the laboratory and information provided by the client on the COC, such as: project number, project name, collection dates, po number, special instructions, samples collected by, sample numbers, sample identifications, sample type, selected analysis type, flow rate, total volume or area, and start stop times that may affect the validity of the results in this report. Samples were received in good condition unless otherwise noted on the report. SanAir assumes no responsibility or liability for the manner in which the results are used or interpreted. This report does not constitute and shall not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any other U.S. governmental agencies and may not be certified by every local, state, and federal regulatory agencies.

Samples are held for a period of 60 days. Fibers smaller than 5 microns cannot be seen with this method due to scope limitations.

For NY state samples, method EPA 600/M4-82-020 is performed.

NYELAP Disclaimer:

Polarized- light microscopy is not consistently reliable in detecting asbestos in floor covering and similar non-friable organically bound materials. Quantitative transmission electron microscopy is currently the only method that can be used to determine if this material can be considered or treated as non-asbestos containing.

Asbestos Certifications

NVLAP lab code 200870-0 City of Philadelphia: ALL-460

PA Department of Environmental Protection Number: 68-05397

California License Number: 2915
Colorado License Number: AL-23143
Connecticut License Number: PH-0105
Massachusetts License Number: AA000222
Maine License Number: LB-0075, LA-0084

New York ELAP lab ID: 11983

Rhode Island License Number: PCM00126, PLM00126, TEM00126 Texas Department of State Health Services License Number: 300440

Commonwealth of Virginia 3333000323 Washington State License Number: C989 West Virginia License Number: LT000616

Vermont License: AL166318

Louisiana Department of Environmental Quality: 212253, Cert 05088

Revision Date: 8/14/2020



1551 Oakhridge Dr. STE B Powhatzn, VA 23139 804.897.1177 / 888.895.1177 Fax 804.897.0070

Asbestos Chain of Custody Form 140, Rev 1, 1/20/2017 23009238

RUSIO CRIVITUR)	sanair.c	o <u>m</u>						·	
J S Asbestos	s inspecti	ons,	ПС	Project#: G10					
1317 Keefer	Road	1.				1	Phone#: 33	30-503-2844	
Girard, OH	14420		Det	Collected Feb 11, 702	}		Fax#:		
	Account#:	36						estoslic@gmail.	.com
THE RESERVE TO A STREET THE PARTY OF THE PAR		***		Air					
	3/116		ABA	PCM NIOSH 7400		ABSE	PLM EPA 60	0/R-93/116 (Qual.)	
Positive Stop			ABA-2	OSHA w/ TWA*					
	t Count		ABTEN	TEM AHERA		ABSP			
PLM EPA 1000 Po	int Count	-	ABATN	TEM NIOSH 7402		ABSP1			
PLM EPA NOB**		-	ABT2	TEM Level II	п	ABSP2	PLM CARB	435 (LOD 0.1%)	
THM Chatfield**		-	Other:		0		Dust		~
TEM EPA NOB**				New York ELAP		ABWA			
PLM Qualitative			PLMNY		0	ABDMV	TEM Microv	ac ASTM D-5755	
Available on 24-hr. to	5-day TAT		ABEPA		p				
Water			ABENY	<u> </u>	0	Matrix	Other		
EPA 100.2			ABBNY	NY ELAP 1984 TEM NOB	0		L		D
					F	19 700		24 HR 17	
m Around	3 HR (4	HR TE	M) 🗆	6 HR (SEER TEM)	-	12 HK	<u> </u>		
Times		2 Day	ris .	☐ 3 Days	<u></u>	<u> </u>	Deys	5 Duys	
	J S Asbestos 1317 Keefer 1317 Keefer Girard, OH A Bulk PLM EPA 600/R-9: PLM EPA 400 Poin PLM EPA 1000 Poin PLM EPA NOB** TEM Chatfield** TEM EPA NOB** J S Asbestos Inspecti 1317 Keefer Road Girard, OH 44420 Lection: Accountil: Bulk PLM EPA 600/R-93/116 Positive Stop PLM EPA 400 Point Count PLM EPA 1000 Point Count PLM EPA NOB** TEM Chatfield** TEM EPA NOB** PLM Qualitative Available on 24-hr. to 5-day TAT Water EPA 100.2	J S Asbestos Inspections, 1317 Keefer Road Girard, OH 44420 Lection: Accountil: 36 Bulk PLM EPA 600/R-93/116 Positive Stop PLM EPA 400 Point Count PLM EPA 1000 Point Count PLM EPA NOB** TEM Chatfield** TEM EPA NOB** D Available on 24-hr. to 5-day TAT Water EPA 100.2 III Around 3 HR (4 HR TE	J S Asbestos Inspections, LLC 1317 Keefer Road Projection: Account#: 3628 P.O Builk PLM EPA 600/R-93/116 Positive Stop PLM EPA 400 Point Count PLM EPA 1000 Point Count PLM EPA NOB** TEM Chatfield** TEM EPA NOB** TEM EPA	J S Asbestos Inspections, LLC 1317 Keefer Road Project Name: 910 MCK In Girard, OH 44420 Date Collected: Fcb 11, 702 Dection: Accounts: 3628 P.O. Number: Bulk PLM EPA 600/R-93/116 Positive Stop ABA-2 OSHA w/TWA* PLM EPA 1000 Point Count PLM EPA 1000 Point Count PLM EPA NOB** TEM Chatfield** TEM Chatfield** TEM Chatfield** TEM Qualitative ABEPA ONB** PLM Qualitative ABEPA NY PLM EPA 600/M4-82-020 AVAILABLE ON 24-hr. to 5-day TAT Water EPA 100.2 THE ARATH TEM NY PLM EPA 600/M4-82-020 ABENY NY ELAP 198.1 ABENY NY ELAP 198.4 TEM NOB TEM Around 3 HR (4 HR TEM) 6 HR (SHR	J S Asbestos Inspections, LLC 1317 Keefer Road Region: Bill Project Name: Blo MCKINNOV Section: Accounts: 3628 P.O. Number: Bulk PLM EPA 600/R-93/116 Positive Stop PLM EPA 400 Point Count PLM EPA 1000 Point Count PLM EPA 1000 Point Count TEM Cheffield** TEM Cheffield** TEM Cheffield** PLM Qualitative Available on 24-hr. to 5-day TAT Water EPA 100.2 TEM Around 3 HR (4 HR TEM) 6 HR (EHR TEM) 10 Project ft: G/D Air	J S Asbestos Inspections, LLC 1317 Keefer Road Project Name: 910 MC Kinnon Date Collected: Ft b 11 7022 Section: Accountif: 3628 P.O. Number: Bulk PLM EPA 600/R-93/116 Positive Stop ABA PCM NIOSH 7400 ABA-2 OSHA w/ TWA* PLM EPA 400 Point Count ABTEM TEM AHERA PLM EPA 400 Point Count ABATN TEM NIOSH 7402 ABSP PLM EPA NOB** DABT2 TEM Level II DABSP2 TEM Chatfield** DOTHER: TEM EPA NOB** TEM EPA NOB** PLM Qualitative APEN Outline Count ABENY NY ELAP 198.1 ABENY NY ELAP 198.4 TEM NOB Matrix TEM Around 3 HR (4 HR TEM) 6 HR (SER TEM) 12 HR	J S Asbestos Inspections, ILC 1317 Keefer Road Project Name: \$\textit{G} \textit{D} \textit{M}^C \textit{K} \textit{Innun} \textit{Phone #: 3:}} Girard, OH 44420 Dete Collected: \$\textit{F} \textit{B} \textit{II} \textit{7022} Fax #: Email: [Sasbesto: Bulk Afr Soll PLM EPA 600/R-93/116 BABA PCM NIOSH 7400 DABSE PLM EPA 60! ABSE PLM EPA 60! ABA-2 OSHA w/TWA* DABSE PLM EPA 60! ABSE PLM EPA 60! ABTEM TEM AHERA DABSP PLM CARB ABSP PLM CARB ABATN TEM NIOSH 7402 DABSP PLM CARB ABSP	J S Asbestos Inspections, LLC Project Name: 9/0	

Sample #	Sample Identification/Location	Volume or Area	Sample Date	Flow Rate*	Start – Stop Time*
1	Plaster Floor 1 Room 1 NWL	4368	2-1173		عند الله الله
2	Auster Flux Room 2 CL	4368	2-11-23		
3	Placken Floor 1 Room 3 WWL	4368	2-11-23		
4	Plusten Floor 2 Room Hall was	4360	211.23		
5	Pluster Floor 2 Room 3 CL	4360	2-11-22		
6	Drywall Floor I Room 4 NWL	616	2-11-23		
7	Aywall Floor 1 Room 3 E WL	616	2-1123		
8	Drywall Flow 1 Room 3 Suc	616	2-11-23		
9	Glaze Floor 1 Rooms WWIN	24	2-11-23		14
10	Glaze Floor I Raom Porch NWIN	24	2.11.23		
11	Glaze Floor 2 Room I SWIN	24	2-11 23		

Challe aniched by	Date	Time	Received by	Date	Time
Relinquished/by	7:12 2023	6:30 Am	RM	2114123	10.40 cm
000					

United States Department of Commerce National Institute of Standards and Technology



Certificate of Accreditation to ISO/IEC 17025:2017

NVLAP LAB CODE: 200870-0

SanAir Technologies Laboratory, Inc.

N. Chesterfield, VA

is accredited by the National Voluntary Laboratory Accreditation Program for specific services, listed on the Scope of Accreditation, for:

Asbestos Fiber Analysis

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO-ILAC-IAF Communique dated January 2009).

2022-04-01 through 2023-03-31

Effective Dates



For the National Voluntary Laboratory Accreditation Program

National Voluntary Laboratory Accreditation Program



SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

SanAir Technologies Laboratory, Inc.

N. Chesterfield, VA 23236 Ms. Sandra Sobrino

Phone: 804-897-1177 Fax: 804-897-0070

Email: ssobrino@sanair.com http://www.sanair.com

ASBESTOS FIBER ANALYSIS

NVLAP LAB CODE 200870-0

Bulk Asbestos Analysis

Code Description

18/A01 EPA -- 40 CFR Appendix E to Subpart E of Part 763, Interim Method of the Determination of

Asbestos in Bulk Insulation Samples

18/A03 EPA 600/R-93/116: Method for the Determination of Asbestos in Bulk Building Materials

Airborne Asbestos Analysis

Code Description

18/A02 U.S. EPA's "Interim Transmission Electron Microscopy Analytical Methods-Mandatory and

Nonmandatory-and Mandatory Section to Determine Completion of Response Actions" as found in

40 CFR, Part 763, Subpart E, Appendix A.

For the National Voluntary Laboratory Accreditation Program

Asbestos Bulk Sampling Information

810 McKinnon Ave., East Liverpool, OH

на	Sample #	Material	Location	Quanity	Condition	Friable Y/N	Asbestos Results
Α	1-5	Plaster	Throughout House	4,368 sf	Good	N	<0.25%
В	6-8	Drywall	Floor 1 Rms 3 & 4	616 sf	Good	Υ	ND
С	9-11	Glaze	Windows Throughout	24 sf	Fair	N	0.75%

ND= Not Detected

NA=Not Analized due to positive stop

Summary of Assumed ACM's

Material	Location	Category	Quanity	Condtion	Friable Y/N
Asphalt Shingles	House		1,342 sf	Good	N
Duct Wrap	Basement	friable ACM	25 sf	Fair	Υ
Risers	Floor 1 Rooms 1 & 2	friable ACM	60 sf	Fair	Υ
Registers	Floor 1 Room 1, Floor 2 Room 3	friable ACM	8 sf	Fair	Υ

IN THE MUNICIPAL COURT COLUMBIANA COUNTY, OHIO CASE NO. 2022 CV H 00343 L CITY OF EAST LIVERPOOL MUNICIPAL COURT **JUDGE** NTHONY J. DAT I QROER AND JUDGMENT ENTRY MICHELLE A. DELLAPENNA

VS.

Defendant.

Plaintiff,

This case came on for consideration of Plaintiff's motion for Default Judgment. Upon due consideration thereof, the Court finds that the Defendant, Michelle A. Dellapenna, was served with summons and a copy of the Complaint according to the Ohio Rules of Civil Procedure; that the Defendant has failed to file an Answer or otherwise defend this case; and that, by reason thereof, the Defendant is in default. Accordingly, the Court makes the following findings of fact:

1. The Defendant is the record owner of a dwelling located at 810 McKinnon Avenue, East Liverpool, Columbiana County, Ohio.

2. The dwelling is a "Dangerous Dwelling" as defined by Section 1337.07 of the Codified Ordinances of the City of East Liverpool.

3. The Defendant has received notice of the Housing Inspector's order to demolish the dwelling and has failed to comply therewith.

Based on these Findings of Fact, the Court makes the following ORDERS:

- 1. Plaintiff may demolish the dwelling and the cost of demolition shall be taxed as costs herein for which judgment shall be awarded to the Plaintiff.
- 2. Costs of this action are taxed to the Defendants.

IT IS THEREFORE ORDERED, ADJUDGED, AND DECREED that the Plaintiff may demolish the dwelling located at 810 McKinnon Avenue, East Liverpool, Ohio 43920 and have the cost of demolition taxed as costs herein for which judgment shall be awarded to the Plaintiff and for the court costs incurred herein,

Approved:

John/E. Gamble (#0042691) Assistant Law Director

GENERAL DEMOLITION SPECIFICATIONS

PPN: 37-05172.000

633 Avondale Street East Liverpool, Ohio 43920

Property Type: Residential, Duplex

Lot Dimensions: 32' x 33'

Building Size: 2040 sq. ft.

*See Exhibit "C: 01-2023" for completed Asbestos

Survey.

Please notify the City of East Liverpool if any unique site conditions require immediate discussion.



- 1. Demolish structure(s) and all ancillary improvements on property, such as garages and sheds, and all paved surfaces, including driveways, service walks and patios, unless otherwise noted. Haul debris to an appropriate landfill. All structural elements, including basement walls and floor, are to be removed unless otherwise noted.
- 2. Foundation: Remove all unless portions of the foundation are needed to support neighbor's driveway, sidewalk, or adjacent structure. If portions of the foundation are left to support an adjacent structure, the foundation should be removed to at least eighteen (18) inches below finished grade.
- 3. Existing Pavement Conditions: Remove all driveways, walkways and any other preexisting pavement. Retain all retaining walls, curbs, and city sidewalk in their current condition. Damage to retaining walls, public sidewalks, curbs, and streets must be corrected or repaired pursuant to the City's regulations.
- 4. Remove foundation plantings and front yard hedges unless otherwise noted. Preserve all mature trees.
- 5. After the removal of the building materials and structural elements, apply lawn seed at seed rate according to manufacturer's directions over seed bare patches in existing lawn. Rake or roll seeded areas to provide good seed-soil contact. Cover seeded area with weed-free straw blanket or 1/2" compost (NOT mulch) per manufacturer's directions.
- 6. Provide a finished site that is level and free of construction debris, brush, and trash, including along lot lines and in tree line. The Contractor is responsible for completing all site finish specifications listed in the bid documents and for ensuring that grass is growing on site and that the site can be safely mowed. A thorough watering is also highly recommended.
- 7. Additional Notes:
- 8. Asbestos Survey Findings: Attached.
- 9. Notify City of East Liverpool Planning Department 330-385-5394 at least 24 hours prior to commencing work.
- 10. Contractor shall have competent Superintendent on the site at all times when work is taking place.
- 11. Contractor shall secure all necessary permits. If necessary, all applicable sidewalk repair permits shall be secured.
- 12. Contractor shall have all utilities shut off for project location and shall ensure that there is no loss of utilities to any other property.

Initials:

Return this with your Bid

Demolition Project: 01-2023

- 13. Contractor shall begin and complete work contract work within the contract dates. City of East Liverpool reserves the right to cancel the contract if not complete within the time limitation stipulated in the contract without making substitutions or payments for prior work rendered and/or may fine the Contractor \$500 per property per day until work is completed.
- 14. Contractor shall notify Ohio Utility Protection Service (OUPS) as required by law.
- 15. Contractor shall walk through the interior of the structure prior to demolition, to verify it is unoccupied.
- 16. Contractor shall visually verify that asbestos abatement has been completed if required. If RACM or transite is still present, notify City of East Liverpool at once so that abatement can be arranged and completed prior to demolition.
- 17. Contractor shall take all necessary precautions, including, but not limited to warning signs, barricades, and fall protection, to protect workers and the public, and shall eliminate unnecessary hazards before leaving the jobsite at the end of each day. Hazards such as missing sidewalks and demolition debris must be marked with yellow caution tape.
- 18. Contractor shall reinstall fall protection and safety precautions at the end of each workday.
- 19. In the event of damage to an adjacent property, Contractor shall speak with the property owner and notify City of East Liverpool immediately. Contractor is liable for damage to neighboring property.
- 20. Contractor shall provide to City of East Liverpool prior to, and as an additional component of, payment for work performed, all pertinent verified original receipts form an approved land fill or dump site, evidencing that all waste material from the job site contracted herein was disposed of in a proper manner. Receipts shall bear the date, job address, location of land fill or dump site, cubic yardage dumped, and bear the signature of the Contractor's driver and receiving facility representative. The Contractor must also provide before, during, and after photos of the demolition for each property. In the event any such information is not provided, City of East Liverpool shall withhold payment until received and approved.
- 21. Contractor shall minimize dust and inconvenience to neighbors. Contractor shall provide labor and use hoses of sufficient length to prevent discharge of visible emissions to the outside air throughout demolition.
- 22. All lot and structure information provided herein is obtained from the Columbiana County Auditor's Office and must be field verified by the Contractor.

By signing this document, the Contractor understands and agrees to complete all of the Work as outlined pursuant to the Contract. The undersigned has also read and fully understands the bid documents which have been provided separately.

ontractor Signature:	
rinted Name:	
itle:	<u></u>
ontractor Company:	
ate:	

Return this with your Bid

Initials: _____

Demolition Project: 01-2023

Asbestos Survey of 633 – 635 Avondale St. East Liverpool, Ohio



Prepared by:

J.S. Asbestos Inspections LLC 1317 Keefer Rd. Girard, Ohio 44420

For:

City of East Liverpool
Attn: William L. Cowan
126 West Sixth Street
East Liverpool, Ohio 43920

EXHIBIT "C: 01-2023"

Summary/Site Description

On February 11, 2023 a survey of 633 – 635 Avondale St., East Liverpool, OH was performed by J.S. Asbestos Inspections, LLC. The purpose of the asbestos survey was to identify asbestos-containing materials (ACMs) located at the above address prior to demolition activities being performed.

The asbestos survey was conducted in accordance with the Environmental Protection Agency (EPA) National Emissions Standard for Hazardous Air Pollutants (NESHAP). NESHAP regulations require no specific survey protocol be followed; however AHERA protocol is recommended. Therefore, the asbestos survey at the above address was conducted in accordance with AHERA protocol.

AHERA classifies friable building materials into the following three (3) categories: Surface material, thermal system insulation (TSI) and miscellaneous materials. The bulk sampling protocol is based on the AHERA category assigned to a specific homogeneous area and the quantity of the homogeneous are identified. For surfacing materials if the size of the homogeneous sampling area is less than 1,000 square feet then a minimum of three (3) samples are collected. If the size of the homogeneous sampling area is between 1,000 and 5,000 square feet then a minimum of five (5) samples are collected. If the size of the homogeneous sampling is >5,000 square feet then a minimum of seven (7) samples are collected. For TSI, at least three (3) samples are collected from each homogeneous area. Miscellaneous and nonfriable materials are sampled in a manner sufficient as determined by the inspector.

In determining condition of a material the following guidelines were used.

General Da	amage Criteria
Good	No Damage
Fair	Up to 10% overall damage, up to 25% localized
Poor	Over 10% overall damage, over 25% localized

The bulk samples collected were submitted to SanAir Technologies Laboratory, Inc., 1551 Oakbridge Drive, Suite B, Powhatan, VA 23139 or 11709 Chesterdale Rd, Cincinnati, OH 45246 for analysis of asbestos content by polarized light microscopy (PLM) using Environmental Protection Agency (EPA) Method 600/R-93/116. Bulk samples identified by PLM as containing more than a trace but less than 3% of asbestos were then analyzed by 400 point count methodology.

ASBESTOS SAMPLE METHODOLOGY

Regulated Asbestos-Containing Materials (RACMs)

Regulated asbestos-containing materials (RACMs) are friable materials with asbestos concentration in excess of the EPA regulatory threshold of 1%. RACMs must be removed from the building prior to demolition by a licensed Asbestos Contractor in accordance with the Asbestos NESHAPS, 40 CFR part 61, and the work practices prohibitions in the OSHA Asbestos in Construction, 29 CFR 1926.1101. The quantities of ACMs and assumed ACMs as presented on the Asbestos Bulk Sampling Information form are approximate and represent the majority of accessible building materials that could be quantified during the survey. In addition, demolition of any of the building's ceiling and/or walls may reveal additional building materials suspected of containing asbestos.

Category I and II Non-Friable Asbestos-Containing Materials

The following Category I and II non-friable asbestos-containing materials may be identified in the building during the survey and will be noted on the Asbestos Bulk Sampling Information form. Bulk sampling locations and homogeneous area locations along with the analytical report for the bulk samples collected will also be included. Category I and II non-friable asbestos-containing materials may remain in place during the demolition and be disposed of as demolition debris, provided that the demolition occurs via conventional means (i.e., the structure is not demolished by burning) and the following conditions are met:

It is Category I non-friable ACM that is not in poor condition and is not friable at the time of demolition:

It is Category II non-friable ACM, and the probability is low that the material will become crumbled, pulverized, or reduced to powder during demolition;

The materials are kept adequately wet at all times during demolition and debris handling:

The materials remain intact during the demolition process and are not subject to sanding, grinding or abrading that may cause them to become friable; and, any concrete or metal to which these materials are applied will be disposed of as Construction and demolition debris at a landfill licensed to accept Category I and II non-friable asbestos waste and will not be recycled.

General Limitations

J.S. Asbestos Inspections LLC cannot guarantee that all asbestos material was located and identified in this survey, due to inaccessibility. Asbestos materials not previously identified or quantified, may be encountered during the demolition.

During demolition additional quantities of asbestos material maybe encountered that were previously inaccessible. If new or additional quantities of suspect materials are encountered, the material is assumed to be asbestos containing, and all activities should cease until the material sampled.

Recommendations

Prior to demolition, contractor(s) working at this structure must be notified of the presence of any building materials identified as containing asbestos or assumed to contain asbestos. Any disturbance of building materials identified as containing less than or equal to 1% asbestos are required to be in compliance with the applicable section of the Occupational Safety and Health Administrations (OSHA's) Asbestos Standard for the Construction Industry. Contractors disturbing any building material identified as containing greater than 1% asbestos or any building material assumed to contain asbestos are required to conduct their activities in accordance with all applicable sections of OSHA's Asbestos Standard as well as applicable EPA NESHAP and Ohio Environmental Protection Agency (OEPA) regulations.

Whenever a structure is part of the same "project" and the total quantity of RACM identified in all structures being demolished equals or exceeds OEPA's regulated quantities of 160 square feet or 260 linear feet, then a licensed asbestos abatement contractor in the State of Ohio needs to be hired to remove the ACMs/assumed ACMs identified on the Asbestos Bulk Sampling Information form as requiring removal prior to any demolition activities. Any material assumed to contain asbestos (ACM) but not designated on the Asbestos Bulk Sampling Information form as requiring removal was considered to be in good to fair condition and can remain within the structure during demolition as long as the ACM does not become friable.

The Ohio Environmental Protection Agency Notification of Demolition and Renovation form must be submitted to OEPA ten (10) days prior to any demolition which will involve the disturbance of 160 square feet or 260 linear feet of RACM (which includes multiple structures of the same "project").

A "Notification of Demolition and Renovation/Abatement" form must be submitted to the Ohio EPA ten (10) days prior to abatement activities being performed which will disturb 50 square feet or 50 linear feet of a friable ACM.

If applicable, as indicated in the OEPA "Notification of Demolition and Renovation" form, Section XVII, ensure that an individual trained in the provisions of NESHAP is on site during the demolition activities. This individual would need to be certified by the Ohio EPA as an Asbestos Hazard Evaluation Specialist and have certification on hand.

John B. Simon, Jr. Ohio Asbestos Hazard Evaluation Specialist Certification Number ES35991

John B NIO
1337 Krefer R6
Gurard OH 44420
Certification Number Espiration Date
ES35991 3-20-23

Steven J. Gerberry Ohio Asbestos Hazard Evaluation Specialist Certification Number ES36384



Striffills

APPENDIX A

> Field Report

APPENDIX B

> San Air lab report for bulk samples collected


APPENDIX C

> Asbestos Bulk Sampling Summary of Results form












	E	
Dat	e: 1/11/23	
Sidi	ing	
	AL = Aluminum	
X	WD = Wood	
	VY = Vinyl	
	AS = Asphalt	
	TR = Transite	
Roc	ofing	
	MS = Masonary	
X	A/S = Asphalt Shingle	
	RR = Rollled Roofing	
	SL = Slate	
		П
X	Good Fair Poor	
Cle	ean Out	
	Yes No	
Util	lities Connected	
X	Yes No	
	Surveyer Cert. Number	
X	John Simon ES35991	
X	Steven Gerberry ES36384	
Not	tes:	
		П








JS ASBESTOS SURVERY OF

633 Avondale St. East Liverpool OH 43920





	/					
7	Basement			55 S		
F.	FLOOR	><	С		CP	RS
	CEILING	X	OI		DW	AC
	WALLS	X	СВ		DW	> PN
	Ceiling Heig	ht	6 ft			
Ducts	Wrapped		Yes	X	No	Sq. Ft.
Woo	d Windows		Yes	Ţ	No	Sq. Ft.
Insul	ation Walls		Yes		No	Туре
Insul	ation Ceiling		Yes	X	^No	Туре
	Furnace	8	Yes		No	

2 FURNALES FILER SLASS WRAP ON ducks

Survey Key
PL = Plaster
DW = Dry Wall
PN = Paneling
AC =Acoustic
CP = Carpet
WD = Wood
RS = Resilient
CR = Ceramic
CN = Concrete
CB = Concrete Block
OJ = Open Wood Joist

Notes:		

					033 AV	ondale /	St. East I	SET	1001	OH 4392	15/1	is city	46
	/4	oof &	90M MALS	CHUNG	\$100	NR WRAP	ED REGISTES	PEDE	addi	CL CL	ATION W	ATION CELLE	NOTES
	1	1	PL	PL	CP	-	-	2	8.5	CL	2		
1	-	2	DW+PL	PL	RS	×	30	2	8.5	F6	2	8-2 DW-	on StwwL
		1	PL	PL	CP	gettine)	-	2	8				
)	2	2	PL	PL	CP	-		2	8	-	-		
		3	PL	PL	RS	-	_		8	See C			
	3)	PL	PL	CP.	-	1		8	-	7		
1		1	PL	DWAPL	CP	1	1	2	25	CL	,	DW	ON CLOVER PL
	1	2	PL	PL	RS	-		3	85	-	-		_
1.	2	(PL	PL	cP	-		2	8	-			
	2	2	PL	PL	cP	1	-	2	8	-	j.		
3		3	PL	PL	RS	-	2	1	P	-		4	
٦	3	1	05	05	40		,	1	8	CL	CL		
1													Material Key
ı												PL=	PLASTER
۱												DW=	DRYWALL
						LL						WD=	WOOD
												CP=	CARPET
1									ſ			RS=	RESILIENT
												CN=	CONCRETE
												AC=	ACOUSTICAL
								1	1			PN=	PANELING
												CB=	CONCRETE BLOCK
					-							OJ=	OPEN WOOD JOIST
							Ì					FG=	FIBERGLASS
		-			 		-	-	-		 	CL=	CELLULOSE
	19				}]	Į.	GL=	WINDOW GLAZE
		-				-		-	-	-		CM=	CERAMIC
									1			CIVI-	CENAIVIC

	# H		scription	FL	Room	Dir/Part	Qty	G/F/P	Friable	
			sler		1	ENL	0554	67	N	
	2 4	1 Pu	usler	1	2	CL	8554	6	N	HOMOGENOUS AREA (HA) KEY
	3 /	Pla	sker	2	1	EWL	8554	6	N	A-PLASTER
	4	Pla	spe-	3	1	CL	B554	G	~	B-DRYWALL
	5	Plo	del	1	1	NWL	BSSY	G	N	C-WINDOW GLAZE
	6	FPLO	stel	2	1	CL	855Y	G	N	D-ACOUSTIC TILE
	7	A Plo	ster	2	2	NWL	B554	G	N	E-ASPHALT SHINGLES
	8 1	3 01	WWAI	1	2	SWL	224	6	y	F-MASTIC
	9 6	Day	WAIL	1	2	wwe	224	9	У	G-9 X 9 TILES
	10 8		wall	/	2	SWL	22 V	6	Y	
	11 B	Br	real	1	1	cu	196	6	У	
	12 B		well	1	1	cu	196	G	У	Survey Key
	13 B	, Ou	Way	1	1	CL	196	G	У	PL = Plaster
3	14 C	GI	are	2	HAII	SWIN	21	F	N	DW = Dry Wall
3	15 C	G1	are	1	1	Ewin	21	F	N	PN = Paneling
	16 C		420	2	1	www	21	F	N	AC =Acoustic
	17									CP = Carpet
	18									WD = Wood
	19									RS = Resilient
	20									CR = Ceramic
	21									CN = Concrete
	22									CB = Concrete Block
	23									OJ = Open Wood Joist
	24									G/F/P = GOOD FAIR POOR
	25						-			
	26									
	27									
	28									
	29									
	30									
	31									
	32									
	33									
	34									
Ass	umed.	ACM		Quanity		Condition	Friable	R	loom(s)	NOTES
Asp	halt sh	ingle F	louse	140	4	Gud	~	Hou	re	
Asp	halt sh	ingle G	Garage							
Rise	ers			30	2	fair	У	unit 63	3 F11 RM	2
Reg	isters									
_	t Wrap)								
	nsite			_						
9X9	Tiles			1						

Photo Log

(Photos Availible Upon Request)

		(FIIOLOS AV	יוטוווכ	e Opon Request)
	1	Address	30	unit 2 Floor 3 Room 1
	2	East Pyterior	31	. 0
	3	North exterior	32	unit 2 Basent Furnace
	4	Surth exterior	33	
	5	West exterior	34	
	6	unit I Floor I Room 1	35	
6	7	unit 1 Hoor / Room / GARA	36م	
63	8	unit / flow / Room 2	37	
3		unif I Flan / Row 2 piste	38	
	10	unit I Flour 1 Room 1 Rog	39	
	11	unit 1 Stairs to Floor 2	40	
	12	unit floor 2 Room /	41	
	13	unit 1 Floor 2 Room 2	42	
	14	unit / Floor 2 Roum 3	43	
	15	unit 1 Stairs to Along	44	
	16	unit / Floor 3 Ruom 1	45	
	17	unit / Basenent Stairs	46	
	18	unit 1 Basement Roun!	47	
		unit 1 Basement Furnalu	48	
		mit / Bovenent Room / duct	45	
1	21	urit Basenet Favor	50	
	22	unit 2 Flour / Room 1	51	
	23	unit 2 Floor / Room 2	52	
6		unit 2 Stones to FL1	53	
35	25	unit 2 floor 1 Roum 2 mp	54	
	26	unit 2 Floer 2 Room 1	55	
	27	unt 2 flor 2 fcom 2	56	
	28	Unit 2 flar 2 form 3	57	
	29	unit 2 Abou 2 Stones to 3	58	1
			1	// //

Signature

suly 6

Wan Spr

633-635 Avondale St. East Liverpool, Ohio



Unit 633 Floor 2 Room 3











The Identification Specialists

Analysis Report prepared for J S Asbestos Inspections, LLC

Report Date: 2/24/2023

Project Name: 633/635 Avondale

Project #: 633/635

SanAir ID#: 23009231

NVLAP®

NVLAP LAB CODE 200870-0

10501 Trade Court | North Chesterfield, Virginia 23236 888.895.1177 | 804.897.1177 | fax: 804.897.0070 | IAQ@SanAir.com | SanAir.com



Name: J S Asbestos Inspections, LLC

Address: 1317 Keefer Road

Girard, OH 44420

Phone: 330-503-2844

Project Number: 633/635

P.O. Number:

Project Name: 633/635 Avondale

Collected Date: 2/11/2023

Received Date: 2/14/2023 10:40:00 AM

Dear Steven Gerberry,

We at SanAir would like to thank you for the work you recently submitted. The 16 sample(s) were received on Tuesday, February 14, 2023 via UPS. The final report(s) is enclosed for the following sample(s): 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 4.

These results only pertain to this job and should not be used in the interpretation of any other job. This report is only complete in its entirety. Refer to the listing below of the pages included in a complete final report.

Sincerely,

Sandra Sobrino

Asbestos & Materials Laboratory Manager SanAir Technologies Laboratory

andra Asbiins

Carrin recrinologics Laborato

Final Report Includes:

- Cover Letter

- Analysis Pages

- Disclaimers and Additional Information

Sample conditions:

- 17 samples in Good condition.



Name: J S Asbestos Inspections, LLC

Address: 1317 Keefer Road

Girard, OH 44420 Phone: 330-503-2844

Project Number: 633/635

P.O. Number:

Project Name: 633/635 Avondale

Collected Date: 2/11/2023

Received Date: 2/14/2023 10:40:00 AM

Analyst: Moore, Brandi

Asbestos Bulk PLM EPA 600/R-93/116

	Stereoscopic	Com	ponents	
SanAir ID / Description	Appearance	% Fibrous	% Non-fibrous	Asbestos Fibers
1 / 23009231-001 Plaster Floor 1 Room 1 E WL, Plaster	Grey Non-Fibrous Homogeneous		100% Other	None Detected
1 / 23009231-001 Plaster Floor 1 Room 1 E WL, Skim Coat	White Non-Fibrous Homogeneous		100% Other	None Detected
2 / 23009231-002 Plaster Floor 1 Room 2 CL, Plaster	Grey Non-Fibrous Homogeneous		100% Other	None Detected
2 / 23009231-002 Plaster Floor 1 Room 2 CL, Skim Coat	White Non-Fibrous Homogeneous		100% Other	None Detected
3 / 23009231-003 Plaster Floor 2 Room 1 E WL, Plaster	Grey Non-Fibrous Homogeneous		100% Other	None Detected
3 / 23009231-003 Plaster Floor 2 Room 1 E WL, Skim Coat	White Non-Fibrous Homogeneous		100% Other	None Detected
4 / 23009231-004 Plaster Floor 3 Room 1 CL, Plaster	Grey Non-Fibrous Homogeneous		100% Other	None Detected
4 / 23009231-004 Plaster Floor 3 Room 1 CL, Skim Coat	White Non-Fibrous Homogeneous		100% Other	None Detected
4 / 23009231-004 Plaster Floor 3 Room 1 CL, Texture	Green Fibrous Homogeneous		100% Other	< 1% Chrysotile
5 / 23009231-005 Plaster Floor 1 Room 1 N WL, Plaster	Grey Non-Fibrous Homogeneous		100% Other	None Detected

Analyst: Brand Moore

Approved Signatory:

Analysis Date:

2/24/2023

Date:



Name: J S Asbestos Inspections, LLC

Address: 1317 Keefer Road Girard, OH 44420

Phone: 330-503-2844

Project Number: 633/635

P.O. Number:

Project Name: 633/635 Avondale

Collected Date: 2/11/2023

Received Date: 2/14/2023 10:40:00 AM

Analyst: Moore, Brandi

Asbestos Bulk PLM EPA 600/R-93/116

	Stereoscopic	Com	ponents	
SanAir ID / Description	Appearance	% Fibrous	% Non-fibrous	Asbestos Fibers
5 / 23009231-005 Plaster Floor 1 Room 1 N WL, Skim Coat	White Non-Fibrous Homogeneous		100% Other	None Detected
6 / 23009231-006 Plaster Floor 2 Room 1 CL, Plaster	Grey Non-Fibrous Homogeneous		100% Other	None Detected
6 / 23009231-006 Plaster Floor 2 Room 1 CL, Skim Coat	White Non-Fibrous Homogeneous		100% Other	None Detected
7 / 23009231-007 Plaster Floor 2 Room 2 N CL, Plaster	Grey Non-Fibrous Homogeneous		100% Other	None Detected
7 / 23009231-007 Plaster Floor 2 Room 2 N CL, Skim Coat	White Non-Fibrous Homogeneous		100% Other	None Detected
8 / 23009231-008 Drywall Floor 1 Room 2 S WL, Drywall	White Non-Fibrous Homogeneous	5% Cellulose	95% Other	None Detected
8 / 23009231-008 Drywall Floor 1 Room 2 S WL, Joint Compound	White Non-Fibrous Homogeneous	301	100% Other	None Detected
9 / 23009231-009 Drywall Floor 1 Room 2 W WL, Drywall	White Non-Fibrous Homogeneous	5% Cellulose	95% Other	None Detected
9 / 23009231-009 Drywall Floor 1 Room 2 W WL, Joint Compound	White Non-Fibrous Homogeneous		100% Other	None Detected
10 / 23009231-010 Drywall Floor 1 Room 2 S WL, Drywall	White Non-Fibrous Homogeneous	5% Cellulose	95% Other	None Detected

Analyst: Brand Moore

Approved Signatory:

Date: 2/24/2023

Analysis Date:



Name: J S Asbestos Inspections, LLC

Address: 1317 Keefer Road

Girard, OH 44420

Phone: 330-503-2844

Project Number: 633/635

P.O. Number:

Project Name: 633/635 Avondale

Collected Date: 2/11/2023

Received Date: 2/14/2023 10:40:00 AM

Analyst: Moore, Brandi

Asbestos Bulk PLM EPA 600/R-93/116

	Stereoscopic	Com	ponents	
SanAir ID / Description	Appearance	% Fibrous	% Non-fibrous	Asbestos Fibers
10 / 23009231-010 Drywall Floor 1 Room 2 S WL, Joint Compound	White Non-Fibrous Homogeneous		100% Other	None Detected
11 / 23009231-011 Drywall Floor 1 Room 1 CL, Drywall	White Non-Fibrous Homogeneous	5% Cellulose	95% Other	None Detected
11 / 23009231-011 Drywall Floor 1 Room 1 CL, Texture	White Non-Fibrous Homogeneous		100% Other	None Detected
12 / 23009231-012 Drywall Floor 1 Room 1 CL, Drywall	White Non-Fibrous Homogeneous	5% Cellulose	95% Other	None Detected
12 / 23009231-012 Drywall Floor 1 Room 1 CL, Joint Compound	White Non-Fibrous Homogeneous		100% Other	None Detected
13 / 23009231-013 Drywall Floor 1 Room 1 CL, Drywall	White Non-Fibrous Homogeneous	5% Cellulose	95% Other	None Detected
13 / 23009231-013 Drywall Floor 1 Room 1 CL, Joint Compound	White Non-Fibrous Homogeneous		100% Other	None Detected
14 / 23009231-014 Glaze Floor 2 Hall S Win	White Non-Fibrous Homogeneous		100% Other	None Detected
15 / 23009231-015 Glaze Floor 1 Room 1 E Win	White Non-Fibrous Homogeneous		100% Other	None Detected
16 / 23009231-016 Glaze Floor 2 Room 1 W Win	White Non-Fibrous Homogeneous		100% Other	None Detected

Analyst: Brand Moore

Approved Signatory:

Analysis Date:

2/24/2023

Date:



Name: J S Asbestos Inspections, LLC

Address: 1317 Keefer Road

Girard, OH 44420

Phone: 330-503-2844

Project Number: 633/635

P.O. Number:

Project Name: 633/635 Avondale

Collected Date: 2/11/2023

Received Date: 2/14/2023 10:40:00 AM

Analyst: Moore, Brandi

Analysis Date:

Asbestos Bulk EPA PLM 400 Point Count

	Stereoscopic	Corr	ponents	
SanAir ID / Description	Appearance	% Fibrous	% Non-fibrous	Asbestos Fibers
4 / 23009231-017	Green		100% Other	< 0.25% Chrysotile
Plaster Floor 3 Room 1 CL, Texture	Non-Fibrous			
	Homogeneous			

Analyst: Brand Moore

2/24/2023

Approved Signatory:

Date:

Disclaimer and Additional Information

400 Point Count Method EPA 600/R-93/116

EPA – 40 CFR Appendix E to Subpart E of Part 763, Interim Method of the Determination of Asbestos in Bulk Insulation Samples

EPA 600/R-93/116: Method for the Determination of Asbestos in Bulk Building Materials

This report is the sole property of the client named on the SanAir Technologies Laboratory chain-of-custody (COC). Results in the report are confidential information intended only for the use by the customer listed on the COC. Neither results nor reports will be discussed with or released to any third party without our client's written permission. The final report shall not be reproduced except in full without written approval of the laboratory to assure that parts of the report are not taken out of context. The information provided in this report applies only to the samples submitted and is relevant only for the date, time, and location of sampling. The accuracy of the results is dependent upon the client's sampling procedure, additions, exclusions, method deviations and information provided to the laboratory by the client. When client requires samples to be tested that deviates from a specific method or condition, all reported results may be affected by the deviation. SanAir assumes no responsibility for the sampling procedure and will provide evaluation reports based solely on the sample(s) in the condition in which they arrived at the laboratory and information provided by the client on the COC, such as: project number, project name, collection dates, purchase order number, special instructions, samples collected by, sample numbers, sample identifications, sample type, selected analysis type, flow rate, total volume or area, and start - stop times that may affect the validity of the results in this report. Samples were received in good condition unless otherwise noted. SanAir assumes no responsibility or liability for the manner in which the results are used or interpreted. This report does not constitute and shall not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any other U.S. governmental agencies and may not be accredited by every local, state, and federal regulatory agency. Samples are held for a period of 60 days.

Asbestos Certifications NVLAP Lab Code 200870-0

City of Philadelphia Department of Public Health Certificate Number: ALL-460

PA Department of Environmental Protection Number: 68-05397

California ELAP Certificate Number: 2915

Colorado Department of Public Health & Environment Registration Number: AL-23143

Connecticut Department of Public Health Registration Number: PH-0105 Massachusetts Department of Labor Standards License Number: AA000222

State of Maine Department of Environmental Protection License Number: LB-0075, LA-0084

New York Department of Health Lab ID No: 11983

State of Rhode Island Department of Health Certification Number: PCM00126, PLM00126, TEM00126

Texas Department of State Health Services License Number: 300440

Commonwealth of Virginia Department of Professional & Occupational Regulation Number 3333000323

The State of Washington Department of Ecology Laboratory ID: C989

State of West Virginia Bureau for Public Health Asbestos Laboratory Number: LT000616

Vermont Department of Health License Number: AL166318

State of Louisiana Department of Environmental Quality, Al Number: 212253, Certificate Number: 05088

Revision Date: 9/13/2022

Disclaimer

This report is the sole property of the client named on the SanAir Technologies Laboratory chainof-custody (COC). Results in the report are confidential information intended only for the use by the customer listed on the COC. Neither results nor reports will be discussed with or released to any third party without our client's written permission. The final report shall not be reproduced except in full without written approval of the laboratory to assure that parts of the report are not taken out of context. The information provided in this report applies only to the samples submitted and is relevant only for the date, time, and location of sampling. The accuracy of the results is dependent upon the client's sampling procedure and information provided to the laboratory by the client. SanAir assumes no responsibility for the sampling procedure and will provide evaluation reports based solely on the sample(s) in the condition in which they arrived at the laboratory and information provided by the client on the COC, such as: project number, project name, collection dates, po number, special instructions, samples collected by, sample numbers, sample identifications, sample type, selected analysis type, flow rate, total volume or area, and start stop times that may affect the validity of the results in this report. Samples were received in good condition unless otherwise noted on the report. SanAir assumes no responsibility or liability for the manner in which the results are used or interpreted. This report does not constitute and shall not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any other U.S. governmental agencies and may not be certified by every local, state, and federal regulatory agencies.

Samples are held for a period of 60 days. Fibers smaller than 5 microns cannot be seen with this method due to scope limitations.

For NY state samples, method EPA 600/M4-82-020 is performed.

NYELAP Disclaimer:

Polarized- light microscopy is not consistently reliable in detecting asbestos in floor covering and similar non-friable organically bound materials. Quantitative transmission electron microscopy is currently the only method that can be used to determine if this material can be considered or treated as non-asbestos containing.

Asbestos Certifications
NVLAP lab code 200870-0
City of Philadelphia: ALL-460

PA Department of Environmental Protection Number: 68-05397

California License Number: 2915
Colorado License Number: AL-23143
Connecticut License Number: PH-0105
Massachusetts License Number: AA000222
Maine License Number: LB-0075, LA-0084

New York ELAP lab ID: 11983

Rhode Island License Number: PCM00126, PLM00126, TEM00126 Texas Department of State Health Services License Number: 300440

Commonwealth of Virginia 3333000323 Washington State License Number: C989 West Virginia License Number: LT000616

Vermont License: AL166318

Louisiana Department of Environmental Quality: 212253, Cert 05088

Revision Date: 8/14/2020



1551 Oakbridge Dr. STE B Powhatan, VA 23139 804.897.1177 / 888.895.1177 Fax 804.897.0070 sanair.com

Asbestos Chain of Custody Form 140, Rev 1, 1/20/2017

SenAir ID Number 73009731

Company:	J S Asbesto	s Inspect	ions.	LLC	Project #: 633 63	35		Collect by: Ster	ven Gerberry	
Address:	1317 Keefe	r Road	4.	Proje	et Name: 6:33/635 Avo		e	Phone #: 33	0-503-2844	
City, St., Zi	Girard, OH	44420		Dete	Collected: Feb 11, 20%	23		Fex#:		
State of Col		Account#:	30		Number:			Email: jsasbe	stostic@gmail.	com
State of Co.	Bulk	Attacomo.			Air			Soll		2720
ABB	PLM EPA 600/R-9	3/116		ABA	PCM NIOSH 7400		ABSE	PLM EPA 60	VR-93/116 (Qual.)	0
	Positive Stop			ABA-2	OSHA w/ TWA*			Vermiculit		
ABEPA	PLM HPA 400 Poi	nt Count		ABTEM	TEM AHERA	0	ABSP	PLM CARB 4	35 (LOD<1%)	
ABB1K	PLM EPA 1000 P	int Count		ABATN	TEM NIOSH 7402	0	ABSP1		35 (LOD 0,25%)	
ABBEN	PLM EPA NOB			ABT2	TEM Level II	0	ABSP2	PLM CARB	35 (LOD 0.1%)	
ABBCH	TEM Chatfield**		<u> </u>	Other:				Dust		
ABBTM	TEM EPA NOB*	-	<u> </u>	l	New York ELAP	2000	ABWA	TEM Wipe A	STM D-6480	
ABQ	PLM Qualitative		H	PLM NY	PLM EPA 600/M4-82-020	0	ABDMV	TEM Microva	G ASTM D-5755	
	Available on 24-hr.	o 5-day TAT		ABEPA2	NY ELAP 198.1	0				: N
				ABENY	NY ELAP 198.6 PLM NOB	-	Matrix	Other		
ABHE	Water EPA 100.2			ABBNY	NY ELAP 198.4 TEM NOB					
· 75	arn Around	3 HR (4	HP TI	and I	6 HR (SHR TEM)	Т	12 HR		24 HR □	
	Times		2 Dey		☐ 3 Days		□ 41	Deys	5 Days	

Special Instructions	retest samples trace - 390	Volume	Point cou	Flow	Start - Stop
Sample #	Sample Identification/Location	or Area	Date	Rate*	Time*
1 1	Plaster floor I Room I E we	0554	2/11/23		
2	Plater Floor 1 Room 2 CL	8554	2/11/23		
3	Plusher floor 2 Room E We	8554	2/11/23		
4	Plaster Flow. 3 Romal CL	BSSY	2/11/23		
5	Plaster Flow 1 Roam M WL	8554	2/11/23		
6	Plaster floor Z Room 1 CL	18554	2/11/23		
7	Plaster Flow. 2 Room 2 NWL	8521	2/11/23		
8	Drywall floor I Room 2 5 WL	551	2/11/23		
9.	Drywall Floor 1 Room 2 a WL	122 A	2/11/23		
10	Dignall Flor 1 Room 2 5 WL	224	2/11/23		
11	Dagwall floor 1 Room 1 CL	196	2/11/23		
12	Promal/ Flour 1 Room 1 CL	196	2/11/23		

Melinanished by	/ Date	Time	Received by	Date	Time
3/m /////	2/12/2072	6:30 An	Ipm	2110-12m	10:40cm
DUVINION I	8/13/2423-			7 114/73	

If no technicism is provided, then the primary contact for your account will be adected. Unless scheduled, the turnsround time for all samples received after 3 pm EST Friday will begin at 8 am Monday morning. Weekend or holiday work must be scheduled ahead of time and is charged for rush turnsround time. SanAir covers Standard Overnight FedEx shipping, Shipments billed to SanAir with a faster shipping rate will result in additional charges. Page | of 2

	Sample #	Sample Identification/Location	Volume or Area	Date	Flow Rate*	Start – Stop Time*	
s	13	Dynall Floor 1 Room 1 CL	196	2 11 27			
1	14	Gluzz Floor 2 Hall SWIN	2/	2/11/2?			
3	15	GIATE Floor Room I EWIN	21	2/11/27			
	16	GIATE Floor 2 Room 1 EWIN	71	2/11/23			
-							
E							
-		1,-					
F							
					,		
-							5
F						W	
F							*
							8 =
			<u></u>	J			

Special Instructions	Same a	s front			
Relinanished by	Date	Time	Received by	Date	Time

If no technician is provided, then the primary contact for your account will be selected. Unless scheduled, the turnsround time for all samples received after 3 pm EST Friday will begin at 8 am Monday morning. Weekend or holiday work must be scheduled ahead of time and is charged for rush turnsround time. SanAir covers Standard Overnight FedEx shipping. Shipments billed to SanAir with a faster shipping rate will result in additional charges.

Page 2 of 7

6:30 Av

United States Department of Commerce National Institute of Standards and Technology



Certificate of Accreditation to ISO/IEC 17025:2017

NVLAP LAB CODE: 200870-0

SanAir Technologies Laboratory, Inc.

N. Chesterfield, VA

is accredited by the National Voluntary Laboratory Accreditation Program for specific services, listed on the Scope of Accreditation, for:

Asbestos Fiber Analysis

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017.

This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO-ILAC-IAF Communique dated January 2009).

2022-04-01 through 2023-03-31

Effective Dates



For the National Voluntary Laboratory Accreditation Program

National Voluntary Laboratory Accreditation Program



SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

SanAir Technologies Laboratory, Inc.

N. Chesterfield, VA 23236 Ms. Sandra Sobrino

Phone: 804-897-1177 Fax: 804-897-0070 Email: ssobrino@sanair.com http://www.sanair.com

ASBESTOS FIBER ANALYSIS

NVLAP LAB CODE 200870-0

Bulk Asbestos Analysis

Code Description

18/A01 EPA -- 40 CFR Appendix E to Subpart E of Part 763, Interim Method of the Determination of

Asbestos in Bulk Insulation Samples

18/A03 EPA 600/R-93/116: Method for the Determination of Asbestos in Bulk Building Materials

Airborne Asbestos Analysis

Code Description

18/A02 U.S. EPA's "Interim Transmission Electron Microscopy Analytical Methods-Mandatory and

Nonmandatory-and Mandatory Section to Determine Completion of Response Actions" as found in

40 CFR, Part 763, Subpart E, Appendix A.

For the National Voluntary Laboratory Accreditation Program

Asbestos Bulk Sampling Information

633 - 635 Avondale St., East Liverpool, OH

НА	Sample #	Material	Location	Quanity	Condition	Friable Y/N	Asbestos Results
Α	1-7	Plaster	Throughout house	8,554 sf	Good	N	<0.25%
В	8-10	Drywall	Unit 633 Floor 1 Room 2	224 sf	Good	Υ	ND
B1	11-13	Drywall	Unit 635 Floor 1 Room 1	196 sf	Good	Υ	ND
С	14-16	Glaze	Windows Throughout	21 sf	Fair	N	ND

ND= Not Detected

NA=Not Analized due to positive stop

Summary of Assumed ACM's

Material	Location	Category	Quanity	Condtion	Friable Y/N
Asphalt Shingles	House		1,404 sf	Good	N
Risers	Unit 633 Fl 1 Rm 2	friable ACM	30 sf	Fair	Υ

IN THE MUNICIPAL COURT COLUMBIANA COUNTY, OHIO CASE NO. 2022 CV H 00344 L

Plaintiff, Plaintiff, Vs. COLUMBIANA COUNTY JUDGE KATELYN DICKEY

G. KIRK MILLER, et al NOV 17

ORDER AND JUDGMENT ENTRY

Defendant. ANTHONY J. DATTILIO CLERK

This case came on for consideration of Plaintiff's motion for Default Judgment. Upon due consideration thereof, the Court finds that the Defendants, G. Kirk Miller and Dawn Zilich Miller, were served with summons and a copy of the Complaint according to the Ohio Rules of Civil Procedure; that the Defendants have failed to file an Answer or otherwise defend this case; and that, by reason thereof, the Defendants are in default. Accordingly, the Court makes the following findings of fact:

1. The Defendants are the record owner of a dwelling located at 633 Avondale Street, East Liverpool, Columbiana County, Ohio.

2. The dwelling is a "Dangerous Dwelling" as defined by Section 1337.07 of the

Codified Ordinances of the City of East Liverpool.

3. The Defendants have received notice of the Housing Inspector's order to demolish the dwelling and have failed to comply therewith.

Based on these Findings of Fact, the Court makes the following ORDERS:

 Plaintiff may demolish the dwelling and the cost of demolition shall be taxed as costs herein for which judgment shall be awarded to the Plaintiff.

Costs of this action are taxed to the Defendants.

IT IS THEREFORE ORDERED, ADJUDGED, AND DECREED that the Plaintiff may demolish the dwelling located at 633 Avonadle Street, East Liverpool, Ohio 43920 and have the cost of demolition taxed as costs herein for which judgment shall be awarded to the Plaintiff and for the court costs incurred herein.

Approved:

John E. Gamble (#0042691) Assistant Law Director